

My*style*
by Kronoflooring

ELEGANT DESIGNER FLOORING
EDELHARZBÖDEN* www.mystyle-flooring.com

LIVE LIFE YOUR WAY – WITH MYSTYLE

We have perfected **Mystyle** elegant designer flooring for people who share our passion for innovation, quality and an individual lifestyle – with zero compromises. **Mystyle** elegant designer flooring is made from a combination of synthetic resin and natural wood sourced

from sustainably managed forests. The premium flooring is certified with the Blue Angel ecolabel* – a recognised sign of dedication to protecting people and the environment.


MYSTYLE ELEGANT DESIGNER FLOORING – BEAUTY IN EVERY DETAIL

Measuring a robust 12 or 14 mm thick, **Mystyle** elegant designer flooring has been designed to handle the various stresses of daily life, while also meeting your personal aesthetic needs in terms of both design and functionality. In addition to durable surfaces in the highest abrasion classes (AC5 and AC6 in accordance with DIN EN 13329:2016/08), the premium flooring features built-in anti-static technology and an anti-bacterial coating. The high-quality, hard-wearing flooring offers impressive durability and has been subjected to rigorous testing to ensure that it meets international quality standards. We therefore offer a comprehensive 30-year guarantee

for lightfastness, stain resistance and abrasion resistance for private use and a 5-year guarantee for commercial use (detailed warranty conditions are available at www.mystyle-flooring.com).

With **Mystyle** elegant designer flooring, a whole world of quality is at your feet.






Detailed and authentic

Inspired by nature, *Mystyle* elegant designer flooring embodies beauty, grace and charm, boasting a perfectly coordinated design and surfaces for a truly authentic look and feel.



Comprehensive guarantees

Our comprehensive design quality is reflected in our comprehensive guarantees. *Mystyle* elegant designer flooring undergoes rigorous testing to ensure that it meets or exceeds your quality expectations. We offer a 30-year warranty for private use and a 5-year warranty for commercial use of *Mystyle* elegant designer flooring. This warranty covers lightfastness, stain resistance and abrasion resistance (detailed warranty conditions are available at www.mystyle-flooring.com).



Locking system with moisture defense technology

Lay. Click. Done. The strong 1clic2go pure system makes it considerably more difficult for moisture to penetrate and makes installation a breeze without the need for glue or other tools – even in hard-to-reach places such as corners, around doors or under radiators. Combined with the click-lock system, the panels' technical design allows for stress-free installation with no need for



Well-protected

Life leaves its traces, but not on the *Mystyle* elegant designer flooring. Thanks to its durable, high-performance Protect 5 and 6 coatings, your floor will be well-protected against fine scratches, dirt and abrasions. Even stubborn liquids such as oil, wine or coffee can be easily wiped away and will not be absorbed by the durable flooring surface. A hard HDF core and thicknesses of 12 or 14 mm also protect the *Mystyle* elegant designer flooring against mechanical



Bevelled edges

Our flooring's bevelled edges add depth and authenticity to laying patterns for that much-loved traditional floorboard effect. *Mystyle* elegant designer flooring with four sided v-grooves offers an intriguing fusion of tradition, functionality and modernity – down-to-earth elegance for your home!



Real-feel flooring

In Authentic Embossed products, the surface structure is synchronously embossed on the decor structure below it – for authenticity you can see and feel and a structure you can touch. The textures also feature multi-gloss effects that emphasise the depth of the structures.



www.blauer-engel.de/uz176

Mystyle elegant designer flooring is certified with the Blue Angel ecolabel. Find out more at www.blauer-engel.de/en



Anti-bacterial coating*

While bacteria is not visible, it can cause harm if it is not eliminated including heightening allergies and disease. This is why all *Mystyle* elegant designer flooring features have an anti-bacterial coating that inhibits the growth of bacteria on your flooring. With regular cleaning, you can enjoy everyday life without worrying about your loved ones' health or well-being.



Long-lasting, easy-clean anti-static technology

We have all experienced the jolt of static shock when simply touching a door handle or electronic device, and it is always very unpleasant – but now it is a thing of the past. The long-lasting anti-static finish incorporated into *Mystyle* elegant designer flooring provides complete protection against unpleasant shocks. What is more, the flooring is dust and dirt-repellent, making it easy to clean.



Integrated splash water protection

Thanks to our low-warp Hydro-protect core boards and the 1clic2go pure system, *Mystyle* elegant designer flooring is better protected against water than other conventional laminates.



Close to nature, always

The wood for all *Mystyle* elegant designer flooring is sourced from sustainably managed forests. The entire manufacturing process is certified and monitored by independent experts.




www.pefc.org

*Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling – on a scale from A+ (very low-emission) to C (high-emission). For further information: www.eco-institut.de/en/portfolio/emissions-dans-lair-interieur

*Tested germs: Staphylococcus aureus, Escherichia coli


MyDream






P. 8

MyDream K 226
Lilywhite Oak
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture PO




P. 12

MyDream K 227
Bandito Oak
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture PO




P. 16

MyDream K 225
Native Urban Pine
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture NL



P. 20

MyDream K 223
Wilderness Oak
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture NL



P. 24

MyDream K 230
Golden Vista Oak
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture TO




P. 28

MyDream K 232
Witches Wood
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture RC


MyArt





P. 40

MyArt K 231
Misty Plains Oak
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture TO



P. 44

MyArt K 063
Desperados Oak
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture TO



P. 48

MyArt K 229
Shack Pine
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture NL




P. 52

MyArt K 224
Wild West Oak
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture NL



P. 56

MyArt K 233
Earthen Oak
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture HC



P. 60

MyArt K 228
Anvil Oak
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture PO

MyArt • Longboard

P. 32

MyArt K 329
Buckingham Oak
Class 33 / AC5
Bevelled edges
2000 x 242 x 12 mm
Texture RF



P. 36

MyArt K 223
Wilderness Oak
Class 33 / AC5
Bevelled edges
2000 x 242 x 12 mm
Texture RF



P. 44

MyArt K 063
Desperados Oak
Class 33 / AC5
Bevelled edges
2000 x 242 x 12 mm
Texture RF



P. 52

MyArt K 224
Wild West Oak
Class 33 / AC5
Bevelled edges
2000 x 242 x 12 mm
Texture RF





MyDream

MyDream K 226
Lilywhite Oak
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture PO

MyDream K 226
Lilywhite Oak
1285 x 192 x 14 mm



*For private use. Detailed warranty conditions are available at www.mystyle-flooring.com
**Tested germs: Staphylococcus aureus, Escherichia coli



MyDream

MyDream K 227
Bandito Oak
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture PO

MyDream K 227
Bandito Oak
1285 x 192 x 14 mm




*For private use. Detailed warranty conditions are available at www.mystyle-flooring.com
**Tested germs: Staphylococcus aureus, Escherichia coli



MyDream

MyDream K 225
Native Urban Pine
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture NL

MyDream K 225
Native Urban Pine
1285 x 192 x 14 mm





MyDream

MyDream K 223
Wilderness Oak
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture NL

MyDream K 223
Wilderness Oak
1285 x 192 x 14 mm





MyDream

MyDream K 230
Golden Vista Oak
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture TO

MyDream K 230
Golden Vista Oak
1285 x 192 x 14 mm



*For private use. Detailed warranty conditions are available at www.mystyle-flooring.com
**Tested germs: Staphylococcus aureus, Escherichia coli



MyDream

MyDream K 232
Witches Wood
Class 33 / AC6
Bevelled edges
1285 x 192 x 14 mm
Texture RC


MyDream K 232
Witches Wood
1285 x 192 x 14 mm





MyArt K 329
Buckingham Oak
Class 33 / AC5
Bevelled edges
2000 x 242 x 12 mm
Texture RF

MyArt K 329
Buckingham Oak
2000 x 242 x 12 mm




*For private use. Detailed warranty conditions are available at www.mystyle-flooring.com
**Tested germs: Staphylococcus aureus, Escherichia coli



MyArt

MyArt K 223
Wilderness Oak
Class 33 / AC5
Bevelled edges
2000 x 242 x 12 mm
Texture RF

MyArt K 223
Wilderness Oak
2000 x 242 x 12 mm



*For private use. Detailed warranty conditions are available at www.mystyle-flooring.com
 **Tested germs: Staphylococcus aureus, Escherichia coli



MyArt K 231
Misty Plains Oak
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture TO

MyArt K 231
Misty Plains Oak
1285 x 192 x 12 mm



*For private use. Detailed warranty conditions are available at www.mystyle-flooring.com
 **Tested germs: Staphylococcus aureus, Escherichia coli



MyArt K 063
Desperados Oak
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture TO
2000 x 242 x 12 mm
Texture RF

MyArt K 063
Desperados Oak
1285 x 192 x 12 mm
2000 x 242 x 12 mm





MyArt K 229
Shack Pine
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture NL

MyArt K 229
Shack Pine
1285 x 192 x 12 mm



*For private use. Detailed warranty conditions are available at www.mystyle-flooring.com
**Tested germs: Staphylococcus aureus, Escherichia coli



MyArt K 224
Wild West Oak
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture NL
2000 x 242 x 12 mm
Texture RF

MyArt K 224
Wild West Oak
1285 x 192 x 12 mm
2000 x 242 x 12 mm



*For private use. Detailed warranty conditions are available at www.mystyle-flooring.com
**Tested germs: Staphylococcus aureus, Escherichia coli



MyArt

MyArt K 233
Earthen Oak
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture HC

MyArt K 233
Earthen Oak
1285 x 192 x 12 mm

 true look touch &	 12 mm thickness	 protect 5	 feels real authentic embossed	 30 years warranty	 1 clic 2 go pure	
 v-groove	 anti-bacterial	 antistatic	 moisture defense	 easy to clean	 natural product	 made in germany

*For private use. Detailed warranty conditions are available at www.mystyle-flooring.com
**Tested germs: Staphylococcus aureus, Escherichia coli



MyArt

MyArt K 228
Anvil Oak
Class 33 / AC5
Bevelled edges
1285 x 192 x 12 mm
Texture PO

MyArt K 228
Anvil Oak
1285 x 192 x 12 mm



*For private use. Detailed warranty conditions are available at www.mystyle-flooring.com
**Tested germs: Staphylococcus aureus, Escherichia coli

THAT SPECIAL TOUCH FOR A CROWNING FINISH

With *Mystyle* elegant designer flooring, you are not simply furnishing your home – you are styling it. Every feature of our *Mystyle* elegant designer flooring, down to the smallest detail, forms part of the stage on which you present your home, whether your style is playfully modern, lusciously romantic, or timelessly elegant.

Take advantage of the creative freedom that *Mystyle* offers. The modern laminate panel is 58 mm tall and covers 18 mm of floor space. With our easy-to-mount plastic clips, the panels can be inconspicuously secured to the wall. The clip can also be used to route a four-way cable. Of course, all *Mystyle* decors come with a matching skirting board. Our 3-in-1 profile is also incredibly practical – and helps when transitioning between different floor coverings and thicknesses, installing end pieces or creating a smooth finish.



Mystyle insulating underlay



3-in-1 profile (suitable for all *Mystyle* decors)

1 Adjustment profile

2 Threshold profile

3 End profile



Mystyle skirting board with mounting part
(suitable for all *Mystyle* decors)



K58C External corners

Internal corners

End caps




Mystyle cleaner

Mystyle

AUTHENTIC SURFACES THANKS TO DISTINCTIVE SURFACE STRUCTURES

When it comes to your home, there is no room for compromise. Our selection of structures provides an opportunity for you to make your own interior design statement. No matter which structure you choose, each surface is specially adapted to the coordinating

design to emphasise its distinctive features and deliver an authentic look and feel that will enhance your sense of well-being.




Texture HC – Hand Carved. An elegant and realistic oiled wood finish, with gentle irregular undulations, inspired by traditional Amish craftsmanship. The surface replicates the hardwood area of solid flooring gently polished over time due to footfall.



Texture RC – Rustic Chestnut. The look and feel of a hand-finished floor. A soft, matt surface – created using a brushed structure and synthetic pores – reproduces the beauty of matt, oiled solid wood.



Texture TO – Tidal Oak. A refined classic oak texture updated for the modern age. This marvellous wood, marked by gentle waves and natural variations in colour, is presented in a contemporary matt finish.




Texture PO – Palace Oak. This texture celebrates the elegant ageing and patina of refined oak wood after over a century of use – including a subtle nod to the fine splits that occur as a result of the wood's movement over time. The deep matt pores and lightweight surface create the overall impression of an elegant time gone by.

Texture NL – Nature Line. The fully matt effect of the Nature Line structure is combined with glossy elements to create a subdued, contemporary 3D effect.



Texture RF – Rustic Finish. A medium gloss structure designed to replicate the look and feel of brushed wood and requiring low maintenance.



Mystyle

MyDream K 225
Native Urban Pine



My*style*
by Kronoflooring

ELEGANT DESIGNER FLOORING
EDELHARZBÖDEN* www.mystyle-flooring.com



www.facebook.com/MystyleFlooring

kronoflooring

Kronoflooring GmbH
Mühlbacher Straße 1 · 01561 Lampertswalde · Germany
Tel: +49 3522 33-30 · Fax: +49 3522 33-399 · info@kronoflooring.com

02/20/01

The product information presented in this catalogue reflects the most up-to-date information available at the time of printing. Due to our policy of continuous product development, we reserve the right to change the product specifications. Due to the limitations of the printing process, products may differ from the illustrations in this catalogue.

*Composition of synthetic resin and natural wood