


# ACTA.CLASSIC SYSTEMATIC ORDER



# OVERVIEW OF THE DIFFERENT VARIANTS



**Side-sliding tambour cupboard  
with acoustic front**



### Sliding door cupboard



**Sliding door cupboard  
with acoustic front**



### Hinged door cupboard



## Shelf



### Side-sliding tambour




### Combi-cupboard



### Combi-cupboard



### Side-sliding tambour subdivided with metal spacer



**ACTA.CLASSIC IS AVAILABLE IN A  
SELECTION OF WOOD-EFFECT  
FINISHES**

*Selection of wood-effect finishes, the full range can be found in our melamine wood-effect finish chart*

# ACTA.CLASSIC INFOCARD



1

## 3 | A SOPHISTICATED ADDITION

Concealed or visible hinges (opening angle 110° and 180°) allow easy access.

## 4 | SILENT

With damped closer mechanism.



2



2




3



5



7



## HANDLES AS DESIGN FEATURES

D handle, round section

Split D handle, round section

D handle, rectangular section

Rotating knob with lock


Rotating knob

## 1 | SAFE AND SOUND

The cupboards with locker unit provide safe storage for documents and valuables.

## 2 | A FIRM STAND

Plinth and frame are available in several variants (30 mm is standard, 90 mm optional).



4



6

## 5 | WARDROBE RAIL

The right place for coats and jackets (depth 600 mm).

## 6 | PULL-OUT WARDROBE RAILS

The pull-out wardrobe rails save space (depth 420 mm).


## 7 | BOOKEND

Keeps books and magazines neatly in order.

|                              |                                                                                                                                                     |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Carcass and fronts           | Wood, MFC (top and side-finishing panels can be in veneer)                                                                                          |
| Plinth                       | Steel, 30 mm, optional 90 mm high                                                                                                                   |
| Legs                         | Option: Steel, round or square, 90 mm high                                                                                                          |
| Heights (incl. plinth 30 mm) | 750 mm (2 FL <sup>1</sup> ), 1100 mm (3 FL <sup>1</sup> ), 1482 mm (4 FL <sup>1</sup> ), 1832 mm (5 FL <sup>1</sup> ), 2182 mm (6 FL <sup>1</sup> ) |
| Widths                       | 450 mm, 600 mm, 800 mm, 1000 mm, 1200 mm, 1350 mm, 1600 mm                                                                                          |
| Depth (incl. front)          | 420 mm, 600 mm                                                                                                                                      |
| Types                        | Hinged door, side-sliding tambour, sliding door, shelves, drawers, wardrobe, safe                                                                   |
| Lock                         | Central locking                                                                                                                                     |


<sup>1</sup>FL = Filing level

# ACTA.PLUS EXCLUSIVITY AS A MODULAR SYSTEM



# MULTIFUNCTIONAL ROOM DIVIDER

**METAL BOOKENDS**  
in 2 designs  
(minimalist and organic)



**PLANTER TOP BOX**



**PLINTH**  
30 mm or 90 mm



**GLIDES**  
**ROUND (PLASTIC) OR SQUARE (CHROME)**



**DECORATIVE TOP**  
(option)

**SIDE TRIM**  
(left/right options)

**VARIOUS HEIGHTS**  
+ 1 to 4 FL<sup>1</sup>  
+ lowest FL closed  
+ from 2 FL open,  
with metal bookends for extra stability

**FRAME**  
inset for widths of  
1600 mm


**FRAME**  
+ Square tube (20x20 mm)  
+ Rectangular tube (40x20 mm)  
+ Round tube (ø 35 mm)

<sup>1</sup>FL = Filing level

# CONFIGURATIONS EXAMPLES



Cupboards with intermediate frame



Shelf with metal bookends



Sliding door cabinet with planter top box



Combination of hinged doors, shelf units and carcasses



Combination of cupboard and seating carcasses






Push-on connector to connect carcasses and intermediate frames.

## CONNECTIONS TO THE BUILDING STRUCTURE

**CEILING TRACK**  
To be adjusted to suit building tolerances.  
Can be ordered in fixed widths and heights.  
Above 100 mm height, can be delivered to order.  
Other dimensions on request.

**GABLE END / END PANEL**  
Conceals the visible carcass side. It allows a consistent shadow gap on the front while letting the installer cater for any tolerances on the building wall. Can be ordered in fixed widths and heights. Other dimensions on request.

**WALL CONNECTION**  
To be adjusted to suit building tolerances. Can be ordered in fixed widths and heights. Other dimensions on request.



# ACTA.PLUS INFOCARD

|                                                                    |                                                                                                                                                                                  |
|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Carcass 19 mm with inset fronts                                    | ■                                                                                                                                                                                |
| Side trims, top and rear panel doubled                             | □                                                                                                                                                                                |
| Height grid 375 mm                                                 | ■                                                                                                                                                                                |
| Heights with plinth                                                | 405 mm (1 FL <sup>1</sup> ), 780 mm (2 FL <sup>1</sup> ), 1155 mm (3 FL <sup>1</sup> ), 1530 mm (4 FL <sup>1</sup> ), 1905 mm (5 FL <sup>1</sup> ), 2280 mm (6 FL <sup>1</sup> ) |
| Shelf                                                              | See height with plinth and 218 mm (0.5 FL <sup>1</sup> )                                                                                                                         |
| Widths                                                             | 450 mm, 600 mm, 800 mm, 1000 mm, 1200 mm, 1600 mm                                                                                                                                |
| Depths                                                             | 450 mm + 600 mm with front, 430 mm + 580 mm without front                                                                                                                        |
| <b>Locking options</b>                                             |                                                                                                                                                                                  |
| Lock with eurocylinder                                             | ■                                                                                                                                                                                |
| Filing cabinet with central lock and safety interlock              | ■                                                                                                                                                                                |
| <b>Types</b>                                                       |                                                                                                                                                                                  |
| Hinged doors, side-sliding tambours, sliding doors, filing drawers | ■                                                                                                                                                                                |
| Lockers and wardrobe-style cupboards                               | ■                                                                                                                                                                                |
| Flipper cupboards                                                  | ■                                                                                                                                                                                |
| Bridging shelf                                                     | ■                                                                                                                                                                                |
| Stacking cupboards 1-3 FL <sup>1</sup>                             | □                                                                                                                                                                                |
| Planter top box                                                    | ■                                                                                                                                                                                |
| Room divider with metal bookends (minimalist or organic design)    | ■                                                                                                                                                                                |
| ■ Standard □ Optional <sup>1</sup> FL = Filing level               |                                                                                                                                                                                  |



1



2

## 1 | ACOUSTICALLY-EFFECTIVE FRONTS

Effectively reduce the noise level

## 2 | FABRIC SCREEN

The fabric finish optimises office acoustics.

## 3 | OPEN SHELVING UNITS

Vertical rows of pre-drilled holes allow shelves to be fitted at any level.



3



4



5



6

## 4 | STURDY METAL SHELVES

Bookends provide the necessary support.

## 5 | FILE-FRAMES WITH PARALLEL GUIDANCE


Ensure a consistent pull-out action, even in intensive use.

## 6 | PULL-OUT WARDROBE RAILS

The 450 mm deep cupboard becomes a wardrobe for crease-free hanging.

## 7 | DIFFERENT DOOR OPTIONS

Elegant front-mounted doors for side tambour / sliding door cupboards. Inset fronts are also available on request.



7



7

# ACTA.PRO STORAGE THAT REDEFINES SPACES



**Add-on tables in sitting or standing height** complement the system.

**Seat cushion for placing on top**  
Fabric-covered, fastened with Velcro tape (height 48 mm).



Whether **monitor module, add-on table or seating niche** – with the extended cabinet modules, **ACTA.PRO** becomes a meeting place. Take advantage of the virtually unlimited, flexible planning and configuration options for zoning your office space.



**Locker modules** are available in various heights:  
1 FH, 2 FH, 3 FH and 4 FH.

Our **shelving combination with lockers** provides flexible storage. The melamine-faced carcasses are easy to fit between the ladder frames, and can be removed and repositioned again as required.



**Sliding rear panel made from powder-coated expanded metal.**  
Whiteboard also available.

**Lockable bar cabinet with downward opening flipper door.**

The free-standing shelving combination provides storage, partitioning and structure. It can be supplied with **coloured acrylic glass** or **sustainable PET felt**.



# ONE SYSTEM – COUNTLESS OPTIONS

**DESIGNER PLANTER**  
In various sizes in an organic design, to improve the indoor climate.

**FELT**  
Made from recycled PET, available in grey and anthracite.

**ACRYLIC GLASS**  
Available in transparent white, green and orange.



**CATERING BOX**  
With felt insert or watertight ABS plastic tray.

**PLANTER TOP BOX**



**CARCASS**  
Made from recycled PET felt. Glazed display modules are optionally available too.

**WORK-TOP**



**ADD-ON TABLE**  
at sitting and standing height.

**SHELF CONNECTION**  
In various designs.

**SHELVES AND CARCASSES**  
Choose from standard wood-effect designs and colours to match the frame.



**SLIDING FRONTS**  
Felt made from recycled PET, pinnable and used for visual screening, expanded metal or whiteboard for workshops and agile working scenarios.

**SEATING NICHE**  
180-degree rotation, interior lining made of PET felt possible


**SEAT PAD**

**FRAME**  
The shelf frame comes in a **square or round tube design**, as well as a variety of colours.



**LOCKER MODULES**  
Can be integrated into the shelf frame, a **wide range of colours and a selection of lock variants** are available.

**MONITOR MODULE**  
Cabinet modules with sliding door, hinged door, locker, glass display case, shelf selectable.



# ACTA.PRO INFOCARD


|                                                                         |                                                                                                                                                                                        |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Welded steel frame, with crosspieces                                    | ■                                                                                                                                                                                      |
| Height incl. adjustable feet                                            | 405 mm (1 FH <sup>1</sup> ), 780 mm (2 FH <sup>1</sup> ),<br>1155 mm (3 FH <sup>1</sup> ), 1530 mm (4 FH <sup>1</sup> ),<br>1905 mm (5 FH <sup>1</sup> ), 2280 mm (6 FH <sup>1</sup> ) |
| Widths                                                                  | 400 mm, 800 mm                                                                                                                                                                         |
| Depths                                                                  | Square design: 430 mm,<br>Round design: 450 mm                                                                                                                                         |
| <b>Modules</b>                                                          |                                                                                                                                                                                        |
| Shelves                                                                 | ■                                                                                                                                                                                      |
| Shelf connection inserts                                                | ■                                                                                                                                                                                      |
| Reinforcement element                                                   | ■                                                                                                                                                                                      |
| Infill element                                                          | ■                                                                                                                                                                                      |
| Worktop                                                                 | ■                                                                                                                                                                                      |
| Planter box, designer planter, catering box                             | ■                                                                                                                                                                                      |
| Wardrobe rail                                                           | ■                                                                                                                                                                                      |
| PET felt carcass with hinged door                                       | ■                                                                                                                                                                                      |
| <b>Carcass elements</b>                                                 |                                                                                                                                                                                        |
| Shelf element, hinged door element, display element with a glazed front | ■                                                                                                                                                                                      |
| Cupboard with double drawer                                             | ■                                                                                                                                                                                      |
| Flipper element, sliding door element, locker element                   | ■                                                                                                                                                                                      |
| <b>Sliding front</b>                                                    |                                                                                                                                                                                        |
| PET felt                                                                | ■                                                                                                                                                                                      |
| Expanded metal                                                          | ■                                                                                                                                                                                      |
| Whiteboard                                                              | ■                                                                                                                                                                                      |
| <b>Accessories</b>                                                      |                                                                                                                                                                                        |
| Storage box, bookend                                                    | ■                                                                                                                                                                                      |
| Catering trolley                                                        | ■                                                                                                                                                                                      |
| <b>Extension</b>                                                        |                                                                                                                                                                                        |
| Seating alcove                                                          | ■                                                                                                                                                                                      |
| Extension table                                                         | ■                                                                                                                                                                                      |
| Monitor module                                                          | ■                                                                                                                                                                                      |

■ Standard ■ Optional <sup>1</sup>FH = Filing height



## 1 | KLINK-VERBINDUNGSTECHNIK

The click system connects the ladder and rungs, forming the basis for quick and easy assembly and disassembly. Shelves and cabinet bodies are simply screwed to the rungs – efficient, stable and time-saving.



2



3

## 2 | INFILLS

Made from recycled PET felt or coloured acrylic glass, tool-free clip-in fitting in variable configurations. Mix and match materials according to preference.

## 3 | MONITOR MODULE

Suitable for monitors from 35" to 55".  
With integrated cable routing.



4

## 4 | CLOSED HINGED DOOR ELEMENT

Made from PET felt, practical single-part design that can be fitted between two ladders. Openings facilitate handling.



5

## 5 | STORAGE BOX

Made from PET felt, with variable positioning options, can either be fitted under a shelf or alternatively placed directly on the shelf. Optionally lockable.



6

## 6 | PLANTER

With integral plastic tray.

# ACTA.LOCKER

## STORE SECURELY.

## USE FLEXIBLY.

**DOORS CLOSE**  
on left or right

**TOP**  
(option)

**COMBINATION LOCK**  
can be used with a fixed code  
or free code selection

**DECORATIVE BACK PANEL**  
(option - also available  
in veneer)

**WOODEN FRONT**  
various surfaces and  
colours available

**SIDE TRIM**  
(option)

**LETTER BAY**  
with letter tray or drip tray

375 mm  
(1 FL)

**PLINTH**  
H: 30 mm

D: 430/480/580 mm

W: 400/500/600/800/1,000/1,200 mm




# ONE SYSTEM. MANY POSSIBILITIES.



**FRAME, SQUARE (20X20 MM)**  
H: 90 mm, D: 430 mm





**FRAME, ROUND TUBE (Ø 35 MM)**  
H: 150 mm, D: 430 mm



**FRAME, SQUARE (90 MM)**  
H: 90 mm, D: 430 mm



**PLINTH WITH ROUND GLIDES**  
H: 90 mm, D: 430/580 mm  
Body on glides, H: 30 mm




**PLINTH 90 mm**  
D: 430/480/580 mm




**PLINTH 30 mm**  
D: 430/480/580 mm

## OVERVIEW OF ELEMENTS

## LOCKERS



## WARDROBES




**NOTE:**  
The inside of the coloured door is in the chosen carcase colour. Exception for Halifax Oak (9L) and Beige (9T), here the inside of the front is always Black (SC).

Diemensions in mm  
FL = Filing level

## SELECTION OF COLOURED FRONTS

Many different RAL colours are available for wooden fronts\*



Selection shown

# ACTA.LOCKER INFOCARD



## 1 | VERSATILE CARCASS

The wooden carcass of the ACTA.LOCKER is available in different heights.

## 2 | TRIED AND TESTED CYLINDER LOCK

Closure with a key and a cylinder lock.



|                                        | Lockers                                                                                                                      | Wardrobes                                                                       |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| Wooden carcass, Top plastic/veneer     | ■                                                                                                                            | ■                                                                               |
| Fronts                                 | Plastic, colour, veneer                                                                                                      | Plastic, colour, veneer                                                         |
| Hight of plinth: 30 mm, 90 mm          | ■                                                                                                                            | ■                                                                               |
| Hight of frame: 90 mm, 150 mm          | ■                                                                                                                            | ■                                                                               |
| Heights (incl. plinth 30 mm)           | 405 mm (1 FL'),<br>780 mm (2 FL'),<br>1,155 mm (3 FL'),<br>1,530 mm (4 FL'),<br>1,905 mm (5 FL'),<br>2,280 mm (6 FL')        | 1,155 mm (3 FL'),<br>1,530 mm (4 FL'),<br>1,905 mm (5 FL'),<br>2,280 mm (6 FL') |
| Widths                                 | 400 mm, 500 mm,<br>600 mm, 800 mm<br>without/with centre<br>wall, 1,000 mm with<br>centre wall, 1,200 mm<br>with centre wall | 450/600/800 mm                                                                  |
| Depths (incl. front)                   | 450/500/600 mm                                                                                                               | 450/500/600 mm                                                                  |
| Door height (for lockers)              | ■                                                                                                                            | ■                                                                               |
| <b>Locking</b>                         |                                                                                                                              |                                                                                 |
| Cylinder lock                          | ■                                                                                                                            | ■                                                                               |
| Combination lock (fixed or free code)  | □                                                                                                                            |                                                                                 |
| Keypad lock                            | □                                                                                                                            |                                                                                 |
| ■ Standard □ Option 1FL = Filing level |                                                                                                                              |                                                                                 |

## 3 | VARIABLE COMBINATION LOCKS

There are two types of combination lock: with a fixed code or with a programmable code.

## 4 | ELECTRONIC RFID LOCK

Battery-free locking system made from recyclable materials with innovative push-power technology for generating power when closing.

## 5 | ELECTRONIC KEYPAD LOCK

Locking system offers fixed code and free code operation with integrated handle function and three-colour LED display. Configuration, battery warning and emergency power supply ensure easy and safe use.



## 6 | OPTIONAL LETTER BAY

With letter tray or collection tray – for personal messages and documents.

## 7 | DRAWER PULL-OUT

Efficient use of storage space in the lower access area when open or closed compartments are not suitable.



## 8 | CHOICE OF HINGE POSITIONS

Carcasses 800 mm wide can have an optional central divider. Hinges can be on the left or right.

## 9 | CLASSICAL WARDROBE RAIL

The rail for jackets and coats with an additional hat shelf is designed for a cupboard depth of 600 mm.

## 10 | PULL-OUT WARDROBE RAILS


This rail is the space-saving option for cupboards 450 mm deep.




## 11 | NUMBERING

Set of numbers to help colleagues find their own locker – in black or white.


## DOOR OPTIONS




Continuous




Shortened front/  
letter slot




Letter slot



Letter bay



Visiting card holder  
(can be positioned  
as required)



Lowest filing level  
open, alternatively  
with cover

12

## 12 | DIFFERENT DOOR OPTIONS

Depending on the requirements of the office environment, you can choose from a number of different looks.

# ACTA.PLUS PULL-OUT SIDEFILER EFFICIENT ORGANIZATION WITH SYSTEM AND STYLE

## ACTA.PLUS Pull-out-sidefiler

### + Functional storage solution – configurable for all requirements:

Lockers, hanging files, coat hooks,  
and coat compartments, as well as double drawers  
and shelf attachments

### + All configurations can be retrofitted and combined with each other.

### + Electrification possible

### + Dimensions:

Available in two different heights:  
720 mm (1.5 FL) or 1,168 mm (3 FL)

### + Depth: available in 800, 900, and 1,000 mm

### + Variety of attachments and add-ons



**Example:** 3 FL with locker, drawer (2 FL),  
and charging station.



**Example:** 1.5 FL,  
alternating, without lock.



# ACTA.PLUS PULL-OUT SIDEFILER INFOCARD

|                     |                                                                                                                                               |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Construction        | Body + front made of plastic. Drawers with self-closing mechanism and damping. Central locking and rear electrification via rear panel cover. |
| Heights             |                                                                                                                                               |
| 1,5 FL <sup>1</sup> | 720 mm                                                                                                                                        |
| 3 FL <sup>1</sup>   | 1,168 mm                                                                                                                                      |
| Width               | 450 mm                                                                                                                                        |
| Depths              | 800, 900, 1,000 mm                                                                                                                            |
| Furnishing options  |                                                                                                                                               |
| Safe                | <input type="checkbox"/>                                                                                                                      |
| Double drawer       | <input type="checkbox"/>                                                                                                                      |
| Hanging file system | <input type="checkbox"/>                                                                                                                      |
| Electrification     | Integrated or with through-wiring                                                                                                             |

■ Standard □ Option <sup>1</sup>FL = Filing level

## Configuration examples



1



1

## 1 | HANDLE VARIANTS

Chrome or powder-coated.



2



3



3



4

## 2 | LOCK

Lockable compartment for secure storage of your documents.

## 3 | DRAWERS

The drawers feature flexible compartments that can be customized to suit your storage needs.

## 4 | ELECTRIFICATION

Integrated electrification options in the rear panel or via a cable entry box on the side.

# ACTA.PLUS MOBIL COMPACT STORAGE SPACE FOR ANY ENVIRONMENT.

## ACTA.PLUS Mobil

- + The constructive design allows for rear electrification via a clip-on metal cover.
- + **Design feature:** Continuous body sides, optionally with handle loop
- + Mobile saturation room on braked, stable 65 mm casters
- + Flexible options for individual storage space
- + Top drawer with lock and central locking mechanism
- + Drawer pull-outs with metal handle strip, self-closing and soft-close mechanism
- + **Three different heights and variants:**  
Width: 430 mm  
Depth: 470 mm  
Heights: 550 mm/735 mm/1,085 mm
- + Wide range of various built-in components available as accessories to complement the system



# ACTA.PLUS MOBIL INFOCARD

|                      |                                                                                                                                          |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Construction         | Version with drawers.<br>The design allows for rear electrification via a clip-on metal panel. Various interior configurations possible. |
| Height               | 550 mm / 735mm / 1.085 mm                                                                                                                |
| Width                | 430 mm                                                                                                                                   |
| Depth                | 470 mm                                                                                                                                   |
| Fronts/drawers       | extendable on sturdy guides                                                                                                              |
| Drawer               | with base or as hanging file DIN A4                                                                                                      |
| Optional accessories | Pen tray, utensil insert, letter tray, coat hook, name tag, file holder, dividers                                                        |
| Stool                | With seat cushion flap for holding hanging file                                                                                          |



## 1 | ADAPTABLE

The mobile companions on sturdy casters are available in different heights and widths.

## 2 | ELECTRIFICATION

The cables are elegantly concealed behind the back of the caddy with a steel cover.



## 3 | SMALL VARIANT

For personal items or with hanging files for documents – with a padded lid, it makes a practical seat.

## 4 | DRAWERS

Quietly operated drawers with various partition options and storage trays are also lockable on request.

## 5 | POWER MODULE WITH SUPPLY CABLE

Charging station, including triple socket with 5 m power cord, 3 mm gray felt insert. Rear panel for cable management with recesses for storage.



# PEDESTAL PERSONAL COMPANION. WHEREVER YOU WORK.

## STANDARD PEDESTAL

- + In MFC and veneer with 13 or 25 mm top
- + Width of 430 mm with 8 HU (537 mm) and 9 HU (587 mm) on castors (optional on glides)
- + Static pedestal with 12 HU (737 mm) on glides
- + Depths 600 mm or 800 mm
- + Also available as narrow pedestal in width 330 mm with 9 U (587 mm) available
- + **Optional: Side profile handle left and right**



## ECO.S PEDESTAL

- + Mobile attractively priced containers  
Width 430 mm with 8 HU (531 mm) and 9 HU (581 mm) on castors (optional on glides)
- + Static pedestals 12 HU (731 mm) on glides.  
Depths 600 mm or 800 mm; width 430 mm
- + **Without bottom panel cover**



# VARIED POSSIBILITIES



## PERSONAL PEDESTAL











- + **Equipment options:**
  - with hinged door or pull-out drawer
- + For individual use for personal items such as bottles, digital devices, bags, documents, files, valuables
- + Cushion: Loose seat cushion or with Velcro fastening
- + Carcass and front in MFC, top 25 or 13 mm
- + Cylinder lock
- + 8 HU and 9 HU (pull-out drawer), 8 HE (hinged door)
- + Only available on castors



## TECHNICAL PEDESTAL

- + Width 1200 mm, depth 620 mm, height 585 mm
- + Equipment such as printers and scanners are safe inside the technical pedestal – or ready for instant use on the pull-out shelf
- + Available with drawers, pull-outs and CPU shelf
- + Only available on glides

# OVERVIEW OF ELEMENTS

|                    | 8HU                                                                                 | 9HU                                                                                                                                                                     | 12HU                                                                                |
|--------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Standard pedestal  |    |                                                                                        |  |
| Narrow pedestal    |                                                                                     |                                                                                        |                                                                                     |
| ECO.S pedestal     |    |                                                                                        |  |
| Technical pedestal |                                                                                     | <br> |                                                                                     |
| Personal pedestal  |  |                                                                                      |                                                                                     |

# CHOICE OF HANDLES



Recessed handle



Round handle




Round handle,  
rectangular section

# PEDESTAL INFOCARD

## 1 | VARIABLE INTERNALS

Can be individually organised thanks to practical equipment options



1



1



1



2

## 2 | SIDE PROFILE HANDLE

Elegant solution for fronts without handles.

## 3 | RUNNER SYSTEM

With self-closer and damper for closing.



3



3

| Pedestals                         | Standard                                                                                                                                                                                                                                            | ECO.S                                                                                                            | Technical                  | Personal                                                 |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------------------------------|
| <b>Dimensions</b>                 |                                                                                                                                                                                                                                                     |                                                                                                                  |                            |                                                          |
| Heights                           | <b>MFC top 13 mm:</b><br>8 HU <sup>1</sup> (525 mm)<br>9 HU <sup>1</sup> (575 mm)<br>12 HU <sup>1</sup> (725 mm)<br><br><b>MFC and veneer top 25 mm:</b><br>8 HE <sup>1</sup> (537 mm)<br>9 HE <sup>1</sup> (587 mm)<br>12 HE <sup>1</sup> (737 mm) | <b>MFC top 19 mm:</b><br>8 HU <sup>1</sup> (531 mm)<br>9 HU <sup>1</sup> (581 mm)<br>12 HU <sup>1</sup> (731 mm) | 9 HU <sup>1</sup> (585 mm) | 8 HU <sup>1</sup> (525 mm)<br>9 HU <sup>1</sup> (575 mm) |
| Widths                            | 430 mm,<br>330 mm (narrow pedestal)                                                                                                                                                                                                                 | 430 mm                                                                                                           | 1200 mm                    | 430 mm                                                   |
| Depths                            | 600 mm, 800 mm,<br>1000 mm                                                                                                                                                                                                                          | 600 mm, 800 mm                                                                                                   | 620 mm                     | 600 mm                                                   |
| Castor                            | 8 HU <sup>1</sup> , 9 HU <sup>1</sup>                                                                                                                                                                                                               | 8 HU <sup>1</sup> , 9 HU <sup>1</sup>                                                                            | -                          | 8 HU <sup>1</sup> , 9 HU <sup>1</sup>                    |
| Glides                            | 12 HU <sup>1</sup>                                                                                                                                                                                                                                  | 12 HU <sup>1</sup>                                                                                               | 9 HU <sup>1</sup>          | -                                                        |
| <b>Handle Types</b>               |                                                                                                                                                                                                                                                     |                                                                                                                  |                            |                                                          |
| Bow handle, round section         | ■                                                                                                                                                                                                                                                   | ■                                                                                                                | -                          | ■                                                        |
| D handle, rectangular section     | □                                                                                                                                                                                                                                                   | □                                                                                                                | ■                          | □                                                        |
| Recessed handle                   | □                                                                                                                                                                                                                                                   | -                                                                                                                | -                          | -                                                        |
| Continuous side-pull handle       | □                                                                                                                                                                                                                                                   | □                                                                                                                | -                          | Door hinge for hinged door left                          |
| Round handle, rectangular section | □                                                                                                                                                                                                                                                   | -                                                                                                                | -                          | -                                                        |
| Flat bar handle                   | □                                                                                                                                                                                                                                                   | -                                                                                                                | -                          | □                                                        |
| <b>Special Features</b>           |                                                                                                                                                                                                                                                     |                                                                                                                  |                            |                                                          |
| Central lock with eurocylinder    | ■                                                                                                                                                                                                                                                   | ■                                                                                                                | ■                          | ■                                                        |
| Safety interlock                  | ■                                                                                                                                                                                                                                                   | ■                                                                                                                | ■                          | ■                                                        |
| Self-close mechanism              | ■                                                                                                                                                                                                                                                   | ■                                                                                                                | ■                          | ■                                                        |
| Removable rear panel              | -                                                                                                                                                                                                                                                   | -                                                                                                                | ■                          | -                                                        |

■ Standard □ Optional <sup>1</sup>HU = Height unit

# ECO.S MOBIL FLEXIBLY DESIGNED FOR ANY ROOM.

## SIDE HANDLE UNIT

Provides stable support and maximum mobility includes letter slot, coat hook, and name tag.

## INTERIOR

The interior offers ample storage space and numerous uses.

## CASTORS

Flexible and comfortable movement thanks to 360° casters with brakes and integrated edge protection.

## ROLLER SHUTTER

Open horizontally from left to right.

## LOCK

Lockable lock for secure storage space.

## ORDER

Four configuration options (suspension files and drawers in different heights) offer enough space for individual organization.



# ECO.S MOBIL INFOCARD

|                   |                                                                                                                                                                      |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Construction      | Body + front made of plastic with square cover plate. Lid attached, bottom panel between sides, back panel doweled and glued.<br>Body with side handle unit in black |
| Height            | 1,155 mm / 3 FL <sup>1</sup><br>Square cover plate. Lid attached, back panel doweled and glued.<br>Body with side handle unit in black                               |
| Widths            | 1.155 mm / 3 FL <sup>1</sup>                                                                                                                                         |
| Depths            | 600 mm / 800 mm                                                                                                                                                      |
| Ground clearance  | 901 mm                                                                                                                                                               |
| Handle variants   |                                                                                                                                                                      |
| Round bow handle  | <input type="checkbox"/>                                                                                                                                             |
| Square bow handle | <input checked="" type="checkbox"/>                                                                                                                                  |
| Handle bar        | <input checked="" type="checkbox"/>                                                                                                                                  |
| Depths            |                                                                                                                                                                      |
| With front        | 420 mm                                                                                                                                                               |

■ Standard    □ Option    <sup>1</sup>FL = Filing level



**1 | HANDLE VARIANTS**  
Chrome or powder-coated.



**2 | DRAWERS**  
Different drawer sizes offer individual storage space for every use

**3 | HANGING FILE**  
The integrated hanging file system provides organized storage and quick access to important documents.

**4 | FOLDABLE SIDE HANDLE**  
The foldable side handle provides stable support and maximum mobility—wherever you need it.

# PERSONAL BOX MULTIFUNCTIONAL AND MOBILE



## MATERIAL

The Personal box in black is made of sustainable recycled PET material.  
(ABS/PA6 GF30 recycled PET material)

## COLOUR

Available in black or white.

## FUNCTIONS

Multifunctional – can be used as storage or seat (with a mobile base on castors and a seat pad).

## SECURITY

Lockable with interchangeable core cylinder or combination lock.

## USE

Mobile with castors or fits directly to desk via adaptors.



# PERSONAL BOX INFOCARD




|                                          |                        |
|------------------------------------------|------------------------|
| Dimensions                               | 425 x 280 x 465 mm     |
| Net weight                               | 7.5 kg without bracket |
| Max. load<br>(with table top connection) | 9 kg                   |
| Colour                                   | black or white         |
| Material                                 | Plastic                |

## 1 | CONNECTION TO DESKTOP

The box can be connected to the left or right of a 25 mm top via a bracket. The connection kit is supplied. The box rotates through 180°, allowing it to be used on either side. Alternatively it can be attached to the side of the frame (only possible with TALO.YOU).

## 2 | SPECIFICATION/OPTIONS

Optional outfitting accessories include a key/phone holder and shelf.




## 3 | LOCKS

The door features a "softclose" mechanism for silent closing. If required it can be fitted with an interchangeable core cylinder or combination lock.

## 4 | KEYSTONE

The plug connection system can be supplied with USB-A 3.0 Key Stone as an additional option.



## 5 | LEATHER PULL STRAP

Practical and ideal for flexible use.



## 6 | SEAT PAD

Seat pad as an alternative option, cut foam, in black.

# TALO.YOU

## EINZEL- UND TEAM-ARBEITSPLATZ

### TALO.YOU

- + **Für alle Anforderungen konfigurierbar:**  
Einzelarbeitsplatz, Bench, Konferenz und Besprechung oder Staffeltisch
- + Gestell-Design als Rund- oder Quadratrohr
- + A-Fuß-Designvariante, auch auf Rollen
- + **Höhenanpassung:**  
Höhenverstellung von 650 bis 850 mm  
Motorverstellung von 640 bis 1.300 mm  
Gasfederliftverstellung von 680 bis 1.180 mm
- + Kabel- oder Klappwanne Metall, Klappwanne Kunststoff
- + Vielfalt an Anbau- und Aufbauteilen
- + Umfangreiche tischplattenbezogene Elektrifizierungen, Elektrifizierungsbucht
- + Lieferung zerlegt und kartonverpackt optional möglich



Einzelarbeitsplatz




Gasfederlifttisch




Bench



# SYSTEMÜBERSICHTEN EINZELARBEITSPLATZ



# TEAMARBEITSPLATZ



**ENTDECKEN SIE**  
weitere Paneel-Varianten  
für den visuellen und  
akustischen Schutz in  
unserem Produktportfolio!

# TALO.YOU INFOCARD


## EINZEL- UND TEAMARBEITSPLATZ



1



1



2



2



3



3

### 1 | GESTELLDISIGN

Quadratrohr- und Rundrohrsäulen können mit A-Fuß-Designvarianten in Stahlrohr oder mit Echtholzfüßen erweitert werden.

### 2 | GESTELLVARIANTEN

Symmetrisch auf Gleitern oder Rollen.

### 3 | GESTELLSEITENTEILE

Quadratrohr (70 x 70 mm), Rundrohrgestell (ø 70 mm).



4



5



5

### 4 | KABELKÖCHER MIT KABELKETTE

Für eine vertikale Elektrifizierung bei Motor- und Liftverstellung.

### 5 | BEDIENFELDER

In 2 Varianten für die stufenlose, motorische Höhenverstellung.

### 6 | ELEKTRIFIZIERUNGSBUCHT

Mit Bürste und Funktionsschiene zur Aufnahme von Flachbildschirmhaltern. Auch für die Bench geeignet.

### Höhenanpassungen

|                                         | Einzeltisch | Bench |
|-----------------------------------------|-------------|-------|
| Höhenverstellbar, 650 – 850 mm          | ■           | ■     |
| Elektromotor, zweifach teleskopierbar   | □           | □     |
| Verstellbar in den Höhen 640 – 1.300 mm |             |       |
| Gasfeder, zweifach-teleskopierbar       | □           | -     |
| Verstellbar von 680 – 1.180 mm          |             |       |

### Fuß/Gestell

|                                          |   |   |
|------------------------------------------|---|---|
| T-Fuß-Gestell (Quadratrohr und Rundrohr) | ■ | - |
| Gestelldesign A-Fuß                      | ■ | - |
| Rollen                                   | ■ | - |

### Elektrifizierung

|                                                                    |   |   |
|--------------------------------------------------------------------|---|---|
| Elektrifizierungsbucht mit Bürste und Funktionsschiene             | ■ | ■ |
| Ausschnitte/Adapter                                                | □ | □ |
| Schiebeplatte                                                      | □ | □ |
| Zusätzliche Kabelketten, Kabelköcher und Kabelstrumpf zum Ankleben | ■ | ■ |


### Anbauelemente

|               |   |   |
|---------------|---|---|
| Reling        | □ | □ |
| Tischpaneele  | □ | □ |
| Flyby-Paneele | □ | □ |

■ Basis □ Option



6



6



7



8



9



10



11

### 7 | KABELWANNEN

Starre Kabelwannen oder Klappwannen  
Zentrale Kabelwannen mit oder ohne Abdeckung, Höhe vom Boden: 420 mm, Abmessungen: H 100 x T 249/219 mm.

### 8 | FUNKTIONALE SEITENVERKLEIDUNG

Wahlweise mit Lochblech oder geschlossen zur Kabelaufnahme.

### 9 | UNTERBAUSCHUBLADE

Unterbauschublade aus Kunststoff, abschließbar. Max. Belastung 4 kg. Gehäuse schwarz oder weiß.

### 10 | TOOLBOX

Toolbox mit oder ohne Bechereinsatz für zwei Becher. Material Kunststoff. Box in Schwarz oder Weiß, Becher in Schwarz oder Grau lieferbar.

### 11 | UTENSILIENBOX

Über ein mitgeliefertes Adaptionssset wird die Box rechts oder links unter der Tischplatte (25 mm) montiert.