

BLOOM.COLLECTION
ORGANIC ACOUSTICS FOR THE ENTIRE ROOM.

KEY FACTS

+ **Design-oriented**
  Organic acoustic solutions with a common design language.
+ **Versatile**
  For desks, walls, ceilings and freestanding in the room.
+ **Acoustically effective**
  For greater tranquillity, focus and well-being.
+ **Flexibly configurable**
  Tool-free plug-in system with variable elements.
+ **Customisable**
  A range of colours and 3D finishes to suit different interior design concepts.
+ **Highlight BLOOM.TREE**
  Freestanding acoustic element for structuring open-plan spaces.
+ **PET material**
  A sustainable and durable material base for the entire collection.












KÖNIG+ NEURATH

SYSTEM OVERVIEW

BLOOM.TREE
Acoustic tree



Versions




1/4 tree | 1/2 tree | 3/4 tree | 1/1 tree


Variants (leaf arrangements)



BLOOM.DESK
Desk panels | Freestanding desk panel | Corner panel




ACCESSORIES




Bird and squirrel

Add-on element for INSIDE.10


BLOOM.DIVIDE
Room divider



BLOOM.BUFFLE
Ceiling absorber



BLOOM.WALL
Wall absorber



CURRENT COLOUR SELECTION

PET fleece

anthracite | grey | yellow | orange | green | turquoise | blue

FABRIC COVER TREE

dark grey | ochre

DETAILS








1 | BLOOM.TREE
As a freestanding acoustic element, it structures open spaces, creates striking design accents and allows acoustics to be experienced as a space-defining object. Various designs and variants are available.

2 | OPTIONAL ACCESSORIES
Clip-on accessories (squirrel and bird) add further design accents and expand the design possibilities.

3 | FREE-STANDING PANEL
Can be positioned freely on the table using PET feet. Available in three widths with a corresponding number of elements, connectors and feet.

FEATURES AND MATERIALS

- acoustically effective
- 100% recyclable
- suitable for pinning
- tool-free interlocking system





4 | DECORATIVE CONNECTORS
Top elements for INSIDE.10 are secured with plastic connectors and add decorative accents with bumblebee, butterfly and cloverleaf motifs in various colours.



5 | VARIABLE MOUNTING
The panel is secured to the tabletop using clamping adaptors. This ensures a secure hold and a neat integration into the workspace.

ACOUSTICS ON MULTIPLE LEVELS
A comprehensive acoustic concept that structures open-plan spaces – creating a pleasant atmosphere for focused work and lively interaction.



6A | BLOOM.DIVIDE
Vertically suspended room divider comprising a base unit and extension units for organising open-plan spaces.



6B | BLOOM.BUFFLE
Horizontally suspended ceiling element comprising twisted flower chains for acoustic effectiveness from above.



6C | BLOOM.WALL
Wall element for the easy integration of additional acoustically effective surfaces.

PRODUCT OVERVIEW

ROOM ACOUSTICS









Design principle	BLOOM.BUFFLE Ceiling absorber	BLOOM.DIVIDE Room divider Base and add-on element	BLOOM.WALL Wall absorber	BLOOM.TREE Acoustic tree
Plug-in PET non-woven foliage	■	■	■	■
Material properties				
Acoustic performance	■	■	■	■
Can be pinned	■	■	■	■
100% recyclable	■	■	■	■
OEKO-TEX® Standard 100 certified	■	■	■	■
Fire behaviour: DIN EN 13501-1, B-S1 d0, highly flame-retardant	■	■	■	■
Design				
Leaves with 4 slits, plug-in type	■	■	■	■
Tree accessories				
Branch-style support, welded and powder-coated steel tubing 20 x 20 mm	—	—	—	■
Main pole, steel tubular construction, height 1,970 mm, diameter 80 mm	—	—	—	■
Disc base and weight plate, steel, 8 mm thick	—	—	—	■
Sheet connector				
2-way slotted connector	■	■	■	■
Ceiling element connector	—	—	—	■
Accessories				
Wire ropes	■	■	—	—
Wall picture hangers	—	—	■	—
Bird and squirrel wall decorations	—	—	—	■
Dimensions				
Thickness 10 mm	■	■	■	■
Height (mm)	1,365 mm	1,830 mm	1,276 mm	2,400 - 2,760 mm 2,770 - 3,060 mm 3,070 - 3,360 mm
Width (mm)	1,660 mm	920 mm 925 mm	1,270 mm	3,048 mm
Colours of fleece and trunk				
PET fleece: grey, anthracite, yellow, orange, green, turquoise, blue	■	■	■	■
Fabric cover for trunk	—	—	—	92 / 55 dark grey 92 / 70 ochre

BLOOM.DESK DESK ELEMENTS









Design principle	Linear panel element with clamping adapter	Angle element with clamping adapter	Linear panel element for freestanding installation	Clip-on element for INSIDE.10
Plug-in PET fleece 'Blattwerk'	■	■	■	■
Material properties				
Acoustic performance	■	■	■	■
Can be pinned	■	■	■	■
100% recyclable	■	■	■	■
OEKO-TEX® Standard 100 certified	■	■	■	■
Fire behaviour: DIN EN 13501-1, B-S1 d0, highly flame-retardant	■	■	■	■
Design				
Panels with 4 slits, plug-in type	■	■	■	■
Options for adapting to the table				
Clamp adapter	■	■	—	■
Base	■	■	■	—
Connector including spacer: cloverleaf, bumblebee, butterfly	—	—	—	■
Sheet connector				
Connector with 2 slots	■	■	■	—
Accessories				
Bird and squirrel clip-on elements	■	■	■	■
Dimensions				
Thickness 10 mm	■	■	■	■
Height mm	562 mm	562 mm	562 mm	350 mm
Width (mm)	785 mm, 1,270 mm 1,755 mm	825 mm, 1,310 mm 1,795 mm	785 mm, 1,270 mm 1,755 mm	800 mm 1,000 mm

PET-VLIES colours – see table above

■ Base

07.2026

INSIDE.10
LIGHT AND INDIVIDUAL SHIELDING

KEY FACTS

+ **Certified material**
  Screen system made of 100 % polyester, OEKO-TEX® Standard 100, 100% recyclable
+ **Versatile in use**
  As desk mounted, fly-by, side, central screen for benches flexible use for TALO.YOU, ACTIVE.T and BASIC.4 or as an U- form for TALO.YOU
+ **Design for every furnishing concept**
  Frameless look in 3D round design or 90° corner design
+ **Acoustically effective**
  As a screen or privacy screen for creative or concentrated work
+ **Invisible connection**
  Adapter design not visible from the front
+ **Practical**
  Lightweight and pinnable, 10 mm thick
+ **Flame retardant**







KÖNIG+ NEURATH

SYSTEM OVERVIEW


Desk screen




Desk side screen




CORNER SCREENS




left/right




left/right



Fly-by screen




Fly-by side screen




BENCH

Center screen



Side screen



DETAILS

PROPERTIES AND MATERIALS

- lightweight and pinnable
- acoustically effective
- sustainable
- 100% recyclable

1 | CORNER SCREEN
For individual shielding for different table widths.



1


2 | SCREEN FOR BENCH
For team workstations central and side screens can be used in combination. A connector ensures stability.



2



3



3


3 | DESK-MOUNTED ADAPTER
The design is created that no disturbing adapters are visible at the front.

BENCH: Central screens are screwed to the side frame.

4 | CORNER SCREENS
In round or corner design angled panels ensure a reduction in ambient noise.



4



4

CURRENT COLOR SELECTION

anthracite | light grey | yellow | orange | green | turquoise | blue



PRODUCT OVERVIEW

	 Desk-mounted screen	 Fly-by-screen	 Side screen	 Bench central screen	 L-form screen for TALO.YOU only	 U-form screen for TALO.YOU only
Construction principle						
Frameless construction, acoustically effective PET fleece	■	■	■	■	■	■
Material properties						
Acoustic effectiveness	■	■	■	■	■	■
Pinnable	■	■	■	■	■	■
100 % recyclable	■	■	■	■	■	■
OEKO-TEX® Standard 100 certified	■	■	■	■	■	■
Flame retardant	■	■	■	■	■	■
Paneeldesign						
Rounded corners Radius 100 mm	□	□	□	□	□	□
90° corner design	■	■	■	■	■	■
Fitting options						
Adapter bracket	■	–	–	–	–	–
Clamp adapter	■	–	■	–	–	–
Console fitting	–	■	■	–	■	■
Frame fitting	–	–	■	■	–	–
Use of sliding top	■	■	■	■	–	–
Bracket for screwing on	■	■	■	–	■	■
Screen connector						
Connector (plastic) for central and side screens	–	–	–	□	–	–
Dimensions						
System thickness 10 mm	■	■	■	■	■	■
Height mm	400	600	400, 600	600	600	600
Widths mm	800, 1.000, 1.200, 1.400, 1.600, 1.800, 2.000	800, 1.000, 1.200, 1.400, 1.600, 1.800, 2.000	580, 680, 780, 880, 980, 1.480, 1.680, 1.880	1.400, 1.600, 1.800, 2.000	810, 910, 1.010, 1.210, 1.410, 1.610, 1.810, 2.010	820, 920, 1.020, 1.220, 1.420, 1.620
Colors PET fleece						
Light grey	■	■	■	■	■	■
Anthracite	■	■	■	■	■	■
Yellow	■	■	■	■	–	–
Orange	■	■	■	■	–	–
Green	■	■	■	■	–	–
Turquoise	■	■	■	■	–	–
Blue	■	■	■	■	–	–

■ Base □ Option

INSIDE.30
OPTIMISING SPACES - WITH A SYSTEM

INSIDE.30

+ **Flexible to use, acoustically efficient**
  Fabric-covered screen system for acoustic optimisation and privacy or as a workshop tool
+ **Cleverly designed and constructed**
  Lightweight with variable dimensions for use as a desktop screen, side panel or free-standing partition
+ **Clear contours**
  Design variant with straight or rounded corners, fabric panel with no visible joints
+ **Practical accessories**
  Tool rail, file shelf, whiteboard, flipchart and more
+ **Material and added value**
  A sustainable, lightweight and versatile solution for optimising the room acoustics and adding Class C sound absorption












BLUE ANGEL THE GERMAN ECOLABEL
www.blauer-engel.de/uz38

ENVIRONMENTAL CERTIFICATE K+N


KÖNIG + NEURATH

SYSTEM OVERVIEW

Desk screen




Desk side screen




Desk screen, free-standing


Desk screen, clip-on




Side screen fastened to the desk frame




Fly-by screen



Fly-by side screen




Mobile screen




Foot variants




Central desk screen for bench




Side screen for bench



Flipchart



Whiteboard



FABRICS AND COLOURS FOR GREATER SUSTAINABILITY

FABRIC GROUP 71
99 % recycled Post-Consumer-Polyester, 1% Polyester.



DETAILS

CHARACTERISTICS AND MATERIALS

- Acoustic properties
- Light-weight construction
- Pinnable
- Wide range of fabrics

1 | FREE-STANDING SCREENS
For individual privacy: desktop screen with metal storage tub that can be positioned freely or clamped onto the desktop.




1



1



2



2

2 | CONSTRUCTION WITH ACOUSTIC INFILL
Basic thickness 25 mm, plus a bonded fabric sleeve to give a total thickness of 32 mm. The fabric sleeve on rounded screens has a plastic sealing strip in **3 different colours** (grey, black, white); on the rectangular screens it has a double stepped seam.



3




4

3 | ORGANISER RAIL
Single-sided tool rail on desk screens and fly-by screens, double-sided on benches.


4 | ACCESSORIES
Centre screen can be used to fit a file shelf, mirror, A4 letter tray, marker tray or magnetic rail.

5 | FLOOR-STANDING SCREEN
In the widths 800, 1200 and 1600 mm. With flat cantilever foot (suitable for use in fire exit routes) or with frames on castors.

6 | MULTIFUNCTIONAL
Write-on whiteboard made of metal with marker ledge, can be fitted without tools. Flipchart to hang over screen, fitted with bolts for the tear-off block.



5



6

PRODUCT OVERVIEW

	 Desk screen	 Fly-by screen	 Desk screen for bench	 Desk screen with metal tray	 Desk screen for clamping to desk top	 Side screen	 Floor-standing screen
Construction principle							
Constructed from an MDF frame with acoustic infill, fabric covered, pinnable	■	■	■	■	■	■	■
Fitting options							
Adapter bracket	■	—	—	—	—	—	—
Clamp adapter	■	■	—	—	—	—	—
Console fitting	—	■	—	—	—	—	—
Frame fitting	—	—	■	—	—	■	■
Flexible positioning	—	—	—	■	■	■	■
Side screen / surround	■	■	■	—	—	—	—
Dimensions							
System thickness 32 mm	■	■	■	■	■	■	■
Heights in mm	430 450 Total height above desk	800 450 Total height above desk	Height-adjustable desks 627, motorised height adjustment 800	435	444	1545	1545 1920
Widths mm	800, 1000, 1200, 1400, 1600, 1800, 2000	800, 1000, 1200, 1400, 1600, 1800, 2000	1200, 1400, 1600, 1800, 2000	800	900	600, 700, 800, 900, 1000	800, 1200, 1600
Material properties							
Selection of fabrics as per K+N colour table	■	■	■	■	■	■	■
Acoustic effectiveness class C absorber	■	■	■	■	■	■	■
Pinnable	■	■	■	■	■	■	■
Corner radius							
Rounded 3D corners with plastic sealing strip	□	□	□	□	□	□	□
Rectangular 90° design	■	■	■	■	■	■	■
Mobility							
Cantilever flat foot, suitable for fire exit routes	—	—	—	—	—	—	■
Cantilever frame on castors, mobile	—	—	—	—	—	—	□
Organisation							
Tool rail for use on one side	□	□	—	—	—	—	—
Tool rail for use on both sides	—	—	■	—	—	—	—
Accessories							
Whiteboard, writeable	—	—	—	—	—	—	□
Flipchart	—	—	—	—	—	—	□
Tool rail accessories							
Binder tray, mirror, letter tray DIN A4, pencil tray, pencil box, magnetic strip	□	□	□	—	—	—	—

■ Standard □ Optional