Epson **L6499**

DATASHEET / BROCHURE





We don't have a product description for this product. Please talk to your Epson contact person if you like to know more.

KEY FEATURES



PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	400 Nozzles Black, 128 Nozzles per Color
Minimum Droplet Size	3.3 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ ET, Pigment ink
Category	Home Office, Office Desktop
All-in-One Functions	Print, Scan, Copy, Fax
PRINT	
Number of colours	4 colour
First Page Out	Monochrome10 Seconds, Colour13.5 Seconds
Printing Speed ISO/IEC 2473	4 13.8 pages/min Monochrome, 8.9 pages/min Colour
Duplex Printing Speed	6.9 A4 Pages/min Monochrome, 4.9 A4 Pages/min Colour
ISO/IEC 24734	
Maximum Printing Speed	23 pages/min Colour (plain paper 75 g/m²), 37 pages/min Monochrome (plain paper 75 g/m²)
Printing Resolution	4,800 x 1,200 DPI
Printing Volume	1,600 pages per month
	The maximum number of printed pages per month based on the performance capabilities of
	the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	250 - 1,500 pages per month
Colours	Black [Pigment], Cyan [Pigment], Yellow [Pigment], Magenta [Pigment]
Colours Capacity	Black [127ml], Cyan [70ml], Yellow [70ml], Magenta [70ml]
Print from	PC, MAC, Mobile Device
For detailed information on p	rinting speeds please visit http://www.epson.eu/testing.
SCAN	
	6 ipm with ADF scan 12 sec. with flatbed scan
black)	
	5 ipm with ADF scan 27 sec. with flatbed scan
colour)	
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Output formats	BMP, JPEG, PICT, TIFF, multi-TIFF, PDF, PNG
Scanner type	Contact image sensor (CIS)
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
FAX	
Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	100 names and numbers
Page memory	Up to 180 pages (ITU-T No.1 chart)
Fax Functions	PC Fax, Auto Redial, Address Book, Broadcast Fax, Fax Preview, Polling Reception
CONNECTIVITY	
Interfaces	Wi-Fi Direct, Wireless LAN IEEE 802.11b/g/n, Hi-Speed USB - compatible with USB 2.0
	specification, Ethernet interface (100 Base-TX / 10 Base-T)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA PSK (AES)

Epson L6499

WHAT'S IN THE BOX

- Warranty document
- Main unit
- Power cable
- Setup guide
- 1 set of ink (1x 127ml BK, 3x 70ml cmY) + Extra Black



PRODUCT SPECIFICATIONS

PAPER / MEDIA HANDLING	
Paper Formats	9 x 13 cm, 10 x 15 cm, 13 x 18 cm, 13 x 20 cm, 20 x 25 cm, 100 x 148 mm, 16:9, No. 10
	(Envelope), C6 (Envelope), B5, A6 (10.5x14.8 cm), A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), User defined, B6, C4 (Envelope), Letter, Legal, DL (Envelope)
Automatic Document Feed	35 pages
Compatible Paper Weight	64 - 300g/m ²
	Paper compatibility may vary by printer. Third party media may not be compatible. See
	printer's online User's Guide for suitable Epson paper and note that 300gsm, where
	applicable, is based on Epson Ultra Glossy Photo Paper
Duplex	Yes
Output Tray Capacity	30 Sheets
Paper Tray Capacity	250 Sheets Standard
Number of paper trays	1
GENERAL	
Recommended number of	From:1 To:4
users	
Energy Use	12 Watt (standalone copying, ISO/IEC 24712 pattern), 1 Watt (sleep mode), 5.5 Watt (Ready),
	0.2 Watt (Power off), TEC 0.17 kWh/week
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	375 x 347 x 346 mm (Width x Depth x Height)
Product weight	7.3 kg
Noise Level	5.1 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPN
	mode - 38 dB (A) according to ISO 9296
Compatible Operating	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista,
Systems	Windows XP, XP Professional x64 Edition
Sound Power	Operation:6.8 B (A)
Noise	Operation:55 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint
ADDITIONAL FEATURES	
Features	Touchscreen
Panel	Type: Color, Touchscreen, Diagonal:6.1 cm
Media Handling	Automatic duplex (A4, plain paper)
PRODUCT SAFETY	
Product Safety Warnings	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.
	Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.
	Always follow the information on the product label.
OTHER FEATURES	



SUPPLIES

- 112 EcoTank Pigment Black ink bottle
- 112 EcoTank Pigment Cyan ink bottle
- 112 EcoTank Pigment Magenta ink bottle
- 112 EcoTank Pigment Yellow ink bottle
- XP-5100 / WF-2860DWF / ET-3700 / ET-4750 / L6000 / ET-15000 Series Maintenance Box
- Bright White Ink Jet Paper, DIN A4, 90g/m{s2}, 500 Sheets
- Epson A4 Inkjet Business Paper 80gsm, 500 sheets
- Double Sided Matte Paper A4 50 Sheets
- Glossy Photo Paper (2 for 1), 100 x 150 mm, 225g/m{s2}, 100 Sheets
- Glossy Photo Paper (2 for 1), DIN A4, 225g/m{s2}, 40 Sheets
- Glossy Photo Paper BOGOF, 100 x 150 mm, 225g/m{s2}, 100 Sheets
- Glossy Photo Paper BOGOF, DIN A4, 225g/m{s2}, 40 Sheets
- Glossy Photo Paper, 100 x 150 mm, 225g/m{s2}, 100 Sheets
- Glossy Photo Paper, 100 x 150 mm, 225g/m{s2}, 50 Sheets
- Glossy Photo Paper, 100 x 150 mm, 225g/m{s2}, 50 Sheets
- Glossy Photo Paper, 130 x 180 mm, 225g/m{s2}, 40 Sheets
- Glossy Photo Paper, 130 x 180 mm, 225g/m{s2}, 50 Sheets
- Glossy Photo Paper, DIN A4, 225g/m{s2}, 100 Sheets
- Glossy Photo Paper, DIN A4, 225g/m{s2}, 20 Sheets
- Glossy Photo Paper, DIN A4, 225g/m{s2}, 20 Sheets
- Glossy Photo Paper, DIN A4, 225g/m{s2}, 50 Sheets
- Epson A4 Matte Paper 167gsm, 50 sheets
- Photo Paper (2 for 1), 100 x 150 mm, 190g/m{s2}, 140 Sheets
- Photo Paper, 10x15cm (4x6"), 190g/m{s2}, 70 Sheets
- Photo Paper, 130 x 180 mm, 190g/m{s2}, 50 Sheets
- Photo Paper, 4 x 6", 194g/m{s2}, 20 Sheets
- Photo Paper, DIN A4, 190g/m{s2}, 25 Sheets
- Photo Paper, DIN A4, 194g/m{s2}, 20 Sheets
- Photo Paper, DIN A4, 194g/m{s2}, 40 Sheets
- Epson A4 Photo Quality Inkjet Paper 102gsm, 100 sheets
- Premium Semigloss Photo Paper, 100 x 150 mm, 251g/m{s2}, 20 Sheets

LOGISTICS INFORMATION

Layer

2 Units

Epson **L6499**

INK YIELD DATA



* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield



7,500 pages 6,000 pages 6,000 pages 6,000 pages