LAMINATE FLOORING

wineo

THAT'S FLOORING

AS SIMPLE. AS EASY

:::



I like my home!

Invite friends around, enjoy one another's company and laughproviding a refreshing distraction from our everyday stress. We do, however, enjoy our home just as much when it's just the two of us, preferably on the sofa with a cup of coffee and a good book.

At home we get a chance to come down and unwind.



LAMINATE FLOORING FROM WINEO UNCOMPLICATED LIKE US.

Your own four walls: a place of retreat or meeting point? Both of course! And our furnishing style is just as varied as us. Located next to your favourite armchair from the local flea market are an array valuable souvenirs, as well as modern attire. It goes without saying that the floor has to match it all.

The versatile wineo laminate range is exactly right for us in that respect. Great decors, impeccable quality and at the same time down-to-earth. Our everyday companion, the perfect floor for our home.

Spending quality time together.



Product fea Application Formats and

Collecti

wineo 300 wineo 500 wineo 550

Accessories Service Quality and

Collection o Explanation product cor

THE NEW COLLECTIONS DISCOVER THEM NOW!

More attractive and uncomplicated than ever: with a new, clear collection structure, the wineo 300, wineo 500 and wineo 550 ranges impress with an attractive variety of decors. Whether it is classic, trendy or plain coloured – the varied decor range offers creative freedom for individualists. Improved surfaces and optimised formats provide even greater home comfort. And all this with the exceptional wineo brand quality.

Thanks to their excellent properties and impressive variety of features, wineo laminate floors provide the best "basis" for personal or commercial use.

Contents

atures	06
areas	08
nd surfaces	10
ions	
	12
	20
	44
S	54
	56
d awards	58
overview	60
n of symbols and	
mposition	62



PRODUCT FEATURES THAT IMPRESS

wineo laminate floors unite a free and easy lifestyle with the best product features. The core boards used, made of highly compressed wood fibres, not only **conserve resources** but are also particularly **long-lasting and resilient**.

The patented **LocTec**[®] **locking system**, with which the panels can easily be clicked into each other, make our laminate flooring a genuine **"carefree floor"** – without any compromises.



DURABLE

wineo laminate flooring is **non-staining.** Even furniture or chair castors leave no marks behind.

EASY CARE

Thanks to the melamine resin overlay, the laminate flooring is very easy to clean.



SUITABLE FOR UNDERFLOOR HEATING

In conjunction with suitable underlay material, the laminate floor can be installed on an underfloor heating system without any problem.

SUITABLE FOR DAMP AREAS

All wineo laminate floors are ideally equipped against moisture thanks to a **swell-resistant HDF core board** and the special **profile seal.** In particular, the wineo 500 and wineo 550 collections with Aqua-Protect[®] core board also show off their best side in the kitchen or bathroom.





UV-RESISTANT

* 5

Even when exposed to sunshine, the laminate flooring does not change thanks to its high UV-resistance.

ANTISTATIC

The static charge on the surface, for example caused by dry indoor air, is reduced and **dust does not cling.**

APPLICATION AREAS A LAMINATE FLOOR FOR ALL CASES

wineo laminate floors can be used **in almost all areas.** The demands placed on the underlay are low in this respect, meaning that the panels can be installed **on almost any subfloor** – even if this has slight uneven patches. As easy as it is to install, the laminate floor can also be extracted and reused if necessary.

A busy flow of guests is what every restaurant owner hopes for – and is a challenge for the floor. No problem, however, for wineo laminate floors, as **passageways do not wear away.** The floor thus retains its new appearance even over a longer time.

CATERING TRADE



LIVING ROOMS

Especially for **rented apartments**, wineo laminate flooring is the **ideal solution.** Quickly and neatly installed, it protects the subfloor and provides a cosy homely feeling in no time at all. Moving furniture, for example after a change of tenant, leaves **no impression marks** behind on the floor. And when moving home, you can simply take your favourite floor with you.



RETAIL

In shops with a steady flow of customers, the floor has to withstand quite a lot. Here too our laminate flooring is a good choice thanks to its **high durability.** And when it comes to redecorating, the floor is quickly replaced with a new design.



DAMP ROOMS

In **kitchens and bathrooms** too, you do not have to go without the warm look of a wood floor. Because the wineo laminate floors have a **swell-resistant core board** with a special **profile seal.** For damp rooms we recommend you install our wineo 500 or wineo 550 with **Aqua-Protect®**.



FAIR

Especially in exhibition halls, the subfloor conditions are often not ideal. In addition, the floor has to be **quickly installed and dismantled again**. With its **robust and resistant properties**, a wineo laminate floor stands up to these requirements with ease.




FORMATS THAT ARE GUARANTEED TO FIT


Everybody will find something they like here! The numerous panel formats in the wineo laminate flooring collections offer an unprecedented variety of design.

Small spaces become optically bigger thanks to the handy small format of 1380 x 160 mm. You can achieve a modern tile look, which will impress not only in the kitchen and bathroom, with wineo 550. Also currently very popular: XL panels in a country house style, thanks to which even large areas are quickly installed. In this respect, the various formats support the optimal effect of the decor - for an accomplished design all round.

SURFACES FOR AN AUTHENTIC FEEL

The wineo laminate floors have different surfaces, which are individually matched to the decors. Embossed wood textures ensure that your floor feels particularly genuine. You will find information about the respective surface under the decor illustrations on the collection pages.








Rough mat wood structure





Rough sawn surface



Matt surface



High gloss surface

Rustic mat wood structure



Registered embossed surface

Decors with synchronous embossing look particularly authentic, as the tangible texture is recreated from the natural wood grain. The form of knots and gradients gives the floor a unique lively character and originality.







wineo 300 provides the ideal entry to the laminate flooring world. Thanks to its attractive price alongside excellent quality and a harmonious panel format, the collection is perfectly suited for your home. Discover **20 modern designs,** which are simply a joy!

On request wineo 300 is also available with the integrated insulation mat Noise-Reduct Basis, which reduces reflected walking and impact sound. This will also keep the subtenant happy.

1288 × 195 mm

wineo 300




Reflected walking sound is the noise that you hear yourself in the room when you walk across the floor, for example. In adjoining rooms this noise is perceived as impact sound.

wineo 300

Core board:	HDF-Protect®
Product thickness:	7 mm
	9mm (with integrated insulation mat Noise-Reduct Basis*)
Panels / box:	10/2.51 m ²
	$8/2.01m^2$ (with integrated insulation mat Noise-Reduct Ba







Canadian Maple | LA001 (LA001C*) 3 Strip | Fine wooden pore

Skirting board 18,5/38,5: 30030366 Skirting board 15/70: 30040418





Skirting board 18,5/38,5: 30030372 Skirting board 15/70: 30040424



Skirting board 18,5/38,5: 30030382 Skirting board 15/70: 30040434



Nordic Pine Nature | LA019 (LA019C*) 1 Strip | Rough mat wood structure
 Skirting board 18,5/38,5: 30030384
 Beech Natural | LA003 (LA0 Skirting board 15/70: 30040436
 3 Strip | Fine wooden pore



Skirting board 18,5/38,5: 30030368 Skirting board 15/70: 30040420



Noble Maple | LA002 (LA002C*) 1 Strip | Rough mat wood structure

Skirting board 18,5/38,5: 30030367 Skirting board 15/70: 30040419



Scottish Oak | LA005 (LA005C*) 1 Strip | Rough mat wood structure

Skirting board 18,5/38,5: 30030370 Skirting board 15/70: 30040422




16

wineo 300

Core board:	HDF-Protect®
Product thickness:	7 mm
	9mm (with integrated insulation mat Noise-Reduct Basis*)
Panels / box:	$10/2.51m^2$ $8/2.01m^2$ (with integrated insulation mat Noise-Reduct Ba







Modern Hickory | LA013 (LA013C*) 3 Strip | Fine wooden pore

Skirting board 18,5/38,5: 30030378 Skirting board 15/70: 30040430



Classic Beech | LA004 (LA004C*) 3 Strip | Fine wooden pore

 Skirting board 18,5/38,5: 30030323
 Cl

 Skirting board 15/70: 30040375
 3 \$



Classic Oak | LA010 (LA010C*) 3 Strip | Fine wooden pore

Skirting board 18,5/38,5: 30030375 Skirting board 15/70: 30040427



Classic Cherry | LA011 (LA011C*) 3 Strip | Fine wooden pore

Skirting board 18,5/38,5: 30030376 Skirting board 15/70: 30040428



Natural Walnut | LA012 (LA012C*) 3 Strip | Fine wooden pore

Skirting board 18,5/38,5: 30030377 Skirting board 15/70: 30040429





Jalopy | LA014 (LA014C*) Rough mat wood structure

Skirting board 18,5/38,5: 30030387 (Weiß) Skirting board 15/70: 30040439 (Weiß)

wineo 300

Core board:

Panels/box:

Product thickness: 7mm 9mm (with integrated insulation mat Noise-Reduct Basis*)

10/2.51 m²

 $8/2.01 \, m^2$ (with integrated insulation mat Noise-Reduct Basis*)



HDF-Protect®





1 Strip | Rustic mat wood structure





Californian Oak | LA006 (LA006C*) 3 Strip | Silk matt surface

Skirting board 18,5/38,5: 30030371 Skirting board 15/70: 30040423

Welsh Pale Oak | LA008 (LA008C*) 1 Strip | Rough sawn surface

Skirting board 18,5/38,5: 30030373 Skirting board 15/70: 30040425





Avenue Oak | LA015 (LA015C*) 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030380 Skirting board 15/70: 30040432 Nordic Pine Modern | LA020 (LA020C*) 1 Strip | Rough mat wood structure

Skirting board 18,5/38,5: 30030385 Skirting board 15/70: 30040437



1 Strip | Rough sawn surface



Silk matt surface



wineo 500





With **4 different formats** and a durable surface, **wineo 500** is an absolute multi-talent. A variety of wood decors, sophisticated textures and a **core board suitable for damp areas** promise many application and design options.

The choice is yours:

some designs in the medium format are optionally available **with the integrated insulation mat Sound-Protect Eco.** You can get all the other decors in **attracti-ve joint designs.**

small | **1380 × 160 mm**

medium | **1288 × 195 mm**

large | **1380 × 246 mm**

XL | **1845 × 195 mm**

i


The Sound-Protect Eco insulation mat is a permanently elastic underlay material made of up to 90 % renewable raw materials. Thanks to its outstanding reflected walking and impact sound values, it improves the room acoustics.

Authentic joint designs emphasise the panel format. The V2 joint is only found on the long side of the panel, whereas decors with the V4 feature are equipped with a joint on all four sides of the panel.

wineo 500 small V4

Core board:	Aqua-Protect®
Product thickness:	8mm
Panels / box:	9/1.99 m²







Tirol Oak Honey | LA044SV4 1 Strip | Registered embossed surface Skirting board 18,5/38,5:30030343 Skirting board 15/70: 30040395



Tirol Oak Cream | LA043SV4 1 Strip | Registered embossed surface Skirting board 18,5/38,5: 30030386 Skirting board 15/70: 30040438



1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030322 Skirting board 15/70: 30040374



Welsh Pale Oak | LA008SV4 1 Strip | Rough sawn surface

Skirting board 18,5/38,5: 30030373 Skirting board 15/70: 30040425



Skirting board 18,5/38,5: 30030341 Skirting board 15/70: 30040393



Welsh Dark Oak | LA009SV4 1 Strip | Rough sawn surface Skirting board 18,5/38,5: 30030333 Skirting board 15/70: 30040385



Tirol Oak Nature | LA042SV4 1 Strip | Registered embossed surface



Traditional Oak Grey | LA048SV4 1 Strip | Rough sawn surface

Skirting board 18,5/38,5: 30030347 Skirting board 15/70: 30040399



Tirol Oak Silver | LA045SV4 1 Strip | Registered embossed surface

Skirting board 18,5/38,5: 30030344 Skirting board 15/70: 30040396

wineo 500 small V4

Core board:	Aqua-Protect®
Product thickness:	8mm
Panels / box:	9/1.99 m ²







Tirol Oak White | LA046SV4 1 Strip | Registered embossed surface Skirting board 18,5/38,5: 30030345 Skirting board 15/70: 30040397 1



Salt Oak | LA047SV4 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030346 Skirting board 15/70: 30040398



Swedish Pine | LA049SV4 1 Strip | Silk matt surface





Skirting board 18,5/38,5: 30030340 Skirting board 15/70: 30040392



wineo 500 medium

Core board:	Aqua-Protect®
Product thickness:	8mm
	10mm (with integrated insulation mat Sound-Protect Eco*)
Panels / box:	9/2.26 m ²
	$7/1.76m^2$ (with integrated insulation mat Sound-Protect Eco*)







Coastal Oak | LA028M (LA028MC*) 1 Strip | Silk matt surface

Skirting board 18,5/38,5: 30030326 Skirting board 15/70: 30040378





Husky Oak | LA038M (LA038MC*) 3 Strip | Fine wooden pore

Skirting board 18,5/38,5: 30030336 Skirting board 15/70: 30040388

2 Strip | Fine wooden pore

1 Strip | Rustic mat wood structure

Skirting board 15/70: 30040387



Storm Oak | LA021M (LA021MC*) 2 Strip | Rough sawn surface

Skirting board 18,5/38,5: 30030319 Skirting board 15/70: 30040371



Skirting board 18,5/38,5: 30030333 Skirting board 15/70: 30040385



1 Strip | Rough mat wood structure



3 Strip | Rustic mat wood structure



Oak Grey | LA026M (LA026MC*) 2 Strip | Rough mat wood structure

Skirting board 18,5/38,5: 30030324 Skirting board 15/70: 30040376

wineo 500 medium

Core board:	Aqua-Protect®
Product thickness:	8mm
	10mm (with integrated insulation mat Sound-Protect Eco*)
Panels / box:	$9/2.26m^2$ $7/1.76m^2$ (with integrated insulation mat Sound-Protect Eco*)
الم م الس	







Garden Oak Nature | LA027M (LA027MC*) 3 Strip | Fine wooden pore Skirting board 18,5/38,5: 30030325 Skirting board 15/70: 30040377



 Traditional Oak Brown
 LA024M (LA024MC*)
 Skitting board 18,5

Ascona Pine Nature | LA036M (LA036MC*) 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030334 Skirting board 15/70: 30040386

1 Strip | Rough sawn surface

2 Strip | Silk matt surface

Skirting board 18,5/38,5: 30030322 Skirting board 15/70: 30040374



Yale Oak | LA039M (LA039MC*) 3 Strip | Silk matt surface

Skirting board 18,5/38,5: 30030337 Skirting board 15/70: 30040389



C*) Skirting board 18 Skirting board

Skirting board 15/70: 30040380






Kahlua Oak | LA029M (LA029MC*) 1 Strip | Rough mat wood structure

Skirting board 18,5/38,5: 30030327 Skirting board 15/70: 30040379

wineo 500 medium

Core board:	Aqua-Protect®
Product thickness:	8mm
	10mm (with integrated insulation mat Sound-Protect Eco*)
Panels / box:	9/2.26 m ²
	$7/1.76m^2$ (with integrated insulation mat Sound-Protect Eco*)









Alder Romantic | LA033M (LA033MC*) 3 Strip | Fine wooden pore

Skirting board 18,5/38,5: 30030331 Skirting board 15/70: 30040383



Globetrotter | LA023M (LA023MC*) 3 Strip | Rough sawn surface

Skirting board 18,5/38,5: 30030321 Skirting board 15/70: 30040373



Ocean Beech | LA025M (LA025MC*) 3 Strip | Silk matt surface

Skirting board 18,5/38,5: 30030323 Skirting board 15/70: 30040375



1 Strip | Rough mat wood structure

Skirting board 18,5/38,5: 30030320 Skirting board 15/70: 30040372





Oxford Oak | LA040M (LA040MC*) 2 Strip | Rough mat wood structure

Skirting board 18,5/38,5: 30030338 Skirting board 15/70: 30040390



Walnut Classic | LA034M (LA034MC*) 3 Strip | Silk matt surface

Skirting board 18,5/38,5: 30030332 Skirting board 15/70: 30040384

wineo 500 medium V2

Core board:	Aqua-Protect®
Product thickness:	8mm
Panels / box:	9/2.26 m ²







Ascona Pine Grey | LA018MV2 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030383 Skirting board 15/70: 30040435





Tirol Oak White | LA046MV2 1 Strip | Rustic mat wood structure Skirting board 18,5/38,5: 30030345 Skirting board 15/70: 30040397 Lumber White | LA017MV2 1 Strip | Rustic mat wood structure

1 Strip | Rough sawn surface

Skirting board 18,5/38,5: 30030382 Skirting board 15/70: 30040434



Tirol Oak Grey | LA041MV2 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030340 Skirting board 15/70: 30040392



Skirting board 18,5/38,5: 30030353 Skirting board 15/70: 30040405



Ascona Pine Nature | LA036MV2 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030334 Skirting board 15/70: 30040386



/V2 Skirting bo



Tirol Oak Silver | LA045MV2 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030344 Skirting board 15/70: 30040396



Traditional Oak Brown | LA024MV2 1 Strip | Rough sawn surface

Skirting board 18,5/38,5: 30030322 Skirting board 15/70: 30040374


wineo 500 medium V2

Core board:	Aqua-Protect®
Product thickness:	8mm
Panels / box:	9/2.26 m ²









Skirting board 18,5/38,5: 30030386 Skirting board 15/70: 30040438



Ocean Oak | LA079MV2 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030386 Skirting board 15/70: 30040438





Skirting board 18,5/38,5: 30030370 Skirting board 15/70: 30040422



Skirting board 18,5/38,5: 30030360 Skirting board 15/70: 30040412



wineo 500 large V2

Core board:	Aqua-Protect®
Product thickness:	8mm
Panels / box:	8/2.72 m ²







Alaska Oak | LA054LV2 1 Strip | Silk matt surface

Skirting board 18,5/38,5: 30030353 Skirting board 15/70: 30040405





Portuguese Oak | LA058LV2 1 Strip | Rough mat wood structure Skirting board 18,5/38,5: 30030357 Skirting board 15/70: 30040409

Tirol Oak White | LA046LV2 1 Strip | Registered embossed surface

1 Strip | Registered embossed surface

Skirting board 18,5/38,5: 30030345 Skirting board 15/70: 30040397



Oak Wave Cream | LA059LV2 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030358 Skirting board 15/70: 30040410



Skirting board 18,5/38,5: 30030340 Skirting board 15/70: 30040392

Ta Da Silver 11 40451/2 Skitan based 18-5/38-5: 300244

Tirol Oak Silver | LA045LV2 1 Strip | Registered embossed surface

Skirting board 18,5/38,5: 30030344 Skirting board 15/70: 30040396



Columbian Beech | LA056LV2 1 Strip | Silk matt surface

Skirting board 18,5/38,5: 30030355 Skirting board 15/70: 30040407



Pepper Oak | LA060LV2 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030359 Skirting board 15/70: 30040411



Washed Oak | LA050LV2 1 Strip | Rough sawn surface

Skirting board 18,5/38,5: 30030353 Skirting board 15/70: 30040405




Michigan Oak | LA057LV2 1 Strip | Rough mat wood structure

Skirting board 18,5/38,5: 30030356 Skirting board 15/70: 30040408

wineo 500 large V2

Core board:	Aqua-Protect®
Product thickness:	8mm
Panels / box:	8/2.72 m ²







Ontario Oak | LA053LV2 1 Strip | Rustic mat wood structure Skirting board 18,5/38,5: 30030370 Skirting board 15/70: 30040422





Tirol Oak Cream | LA043LV2 1 Strip | Registered embossed surface Skirting board 18,5/38,5: 30030386 Skirting board 15/70: 30040438

Country Oak | LA052LV2 1 Strip | Silk matt surface

1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030351 Skirting board 15/70: 30040403



Tirol Oak Nature | LA042LV2 1 Strip | Registered embossed surface

Skirting board 18,5/38,5: 30030341 Skirting board 15/70: 30040393



Skirting board 18,5/38,5: 30030350 Skirting board 15/70: 30040402



Virginia Oak | LA061LV2 1 Strip | Rough sawn surface

Skirting board 18,5/38,5: 30030360 Skirting board 15/70: 30040412





American Pecan | LA055LV2 1 Strip | Rough mat wood structure

Skirting board 18,5/38,5: 30030354 Skirting board 15/70: 30040406



Tirol Oak Honey | LA044LV2 1 Strip | Registered embossed surface

Skirting board 18,5/38,5: 30030343 Skirting board 15/70: 30040395

wineo 500 XL V4

Core board:	Aqua-Protect®				
Product thickness:	10 mm				
Panels / box:	6/2.16m ²				












Malmoe Pine | LA064XLV4 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030363 Skirting board 15/70: 30040415



1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030362 Skirting board 15/70: 30040414



Tirol Oak White | LA046XLV4 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030345 Skirting board 15/70: 30040397



Skirting board 18,5/38,5: 30030340 Skirting board 15/70: 30040392







1 Strip | Rustic mat wood structure

wineo 500 XL V4

Core board:Aqua-Protect®Product thickness:10 mmPanels/box:6/2.16 m²





1845 × 195 mm

Tennessee Oak Smoked wineo 500 XL V4 | LA066XLV4



Pino Delave | LA062XLV4 1 Strip | Rough mat wood structure

Skirting board 18,5/38,5: 30030361 Skirting board 15/70: 30040413



Tirol Oak Nature | LA042XLV4 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030341 Skirting board 15/70: 30040393



Tennessee Oak Smoked | LA066XLV4 1 Strip | Rustic mat wood structure Skirting board 18,5/38,5: 30030332 Skirting board 15/70: 30040384



Traditional Oak Brown | LA024XLV4 1 Strip | Rough sawn surface

Skirting board 18,5/38,5: 30030322 Skirting board 15/70: 30040374



Tirol Oak Honey | LA044XLV4 1 Strip | Rustic mat wood structure

Skirting board 18,5/38,5: 30030343 Skirting board 15/70: 30040395









wineo 550 is the perfect choice for all those looking for a particularly refined and, at the same time, creative floor covering. 12 matt and 7 high gloss finishes can be combined in any way and create unique experiences of space both within your own four walls and in the shop fitting and exhibition sector.

And anyone who is not satisfied by that can simply become a designer themselves - with wineo 550 digital.

853 × 331 mm

wineo 550




wineo 550 matt

Core board:	Aqua-Protect®
Product thickness:	8mm
Panels / box:	8/2.26m ²







Dove | LA071CM Matt surface



Black | LA067CM Matt surface



White | LA068CM Matt surface



Umbra | LA069CM Matt surface








Traffic | LA072CM Matt surface

wineo 550 matt

Core board:	Aqua-Protect®		
Product thickness:	8mm		
Panels / box:	8/2.26 m ²		









Dusty | LA073CM Matt surface

Lemon | LA075CM

Matt surface




Mustard | LA077CM Matt surface **Grey** | LA074CM Matt surface


Heaven | LA076CM Matt surface

wineo 550 high gloss

Core board:	Aqua-Protect®			
Product thickness:	8mm			
Panels / box:	8/2.26 m ²			









Black | LA067CH High gloss surface




White | LA068CH High gloss surface



Umbra | LA069CH High gloss surface Silver | LA070CH High gloss surface





wineo 550 digital

Core board:	Aqua-Protect®			
Product thickness:	8mm			
Panels / box:	8/2.26 m ²			



853 × 331

Would you like to give your laminate flooring an individual design? No problem, because with wineo 550 digital there are no limits to your creativity.

Whether using special colours, your own logo or an individual motif - you can design your very own, unique decor. When doing so, either single panels can be printed or several elements in the all-over design. In this way, the desired overall image only emerges once the panels are put together over a larger area.

wineo 550 digital gives you an endless array of design options. Not only for large projects, but even from one panel upwards. Simply come and talk to us together we will turn your idea into a wineo floor.

R



SKIRTING BOARDS THE PERFECT FINISH

For the collections wineo 300 and wineo 500, our range of accessories offers matching skirting boards that are ideally coordinated with the decors. Over and above this, single-coloured boards are available, which can be universally combined with all the designs, e.g. also with those in the wineo 550 range. You can find information about the right skirting board on the previous collection pages and in our accessories brochure.

All white skirting boards can be painted over!

You will find detailed information in our accessories brochure, which you can also look at online:

www.wineo.de/service/ downloads



Skirting board 18,5/38,5 MDF base 18,5 × 38,5 × 2400 mm



Skirting board 15/70 MDF base 15 × 70 × 2400 mm



Skirting board 15/80 MDF base 15 × 80 × 2400 mm

Clipholder fastening system

In order to fit the wineo skirting boards quickly and easily, we recommend that you use the Clipholder fastening system. It enables invisible cable routing and can easily be removed should you want to paint or paper the walls.



UNDERLAY MATERIAL FOR AN OPTIMAL FLOORING EXPERIENCE

To go with the wineo laminate floors we supply a number of underlay materials, for example various insulation mats for reducing reflected walking and impact sound. These provide even greater comfort and optimal room acoustics. Underlay material is also used to compensate a difference in height or to install the laminate floor on an underfloor heating system.



ALUMINIUM PROFILES IN WOOD AND METAL FINISH

wineo profiles are ideal for creating a neat finish between floors and walls, adjacent thresholds or other components. They form a smooth transition, close expansion gaps and are available in classic metal looks as well as in various wood designs. You can see an overview of all the available transition, adjustment and end profiles in the Accessories Brochure.

TRANSITION PROFILES







END PROFILES



SERVICE ALL-ROUND GOOD ADVICE



ECHNICAL SUPPORT

Do you have any questions about our products or their installation? Our competent technical team is happy to help you. +49 (0) 52 37 609 - 530.

MARKETING SUPPOR

For presenting goods and promoting sales at the POS, we provide you with an **extensive range** of samples and printed material. You can find an overview of all the presentation aids, from brochures to displays, in our sales promotion brochure "Advertising with wineo". Naturally we can also accommodate individual requests in consultation with you. Simply get in touch with us!





WEB-HIGHLIGHTS

Floor finder

You can use the floor finder to specifically look for your preferred floor, for example by limiting the decor colour or format. In this way you will quickly and conveniently find the perfect floor for your needs.

Showroom

Witness the wineo floors in action! In our showroom, not only can you see numerous references but also simulate any decor in various room situations. To do so, select one of our room examples or upload your own photo. Even the wall colour and accessories can be individually specified in the floor studio.

Retailer search

Simply enter your postcode and travel range and you will immediately be given an overview of the wineo dealers in your vicinity!

Videoportal

Helpful tips and tricks, e.g. for installing or repairing the wineo floors, are explained to you in our video portal in a clear and easy to understand way.

Download area

Brochures and technical documents, such as data sheets, installation instructions and lots more, can easily be downloaded at any time from our website.

Discover now at en.wineo.de!



Keep in touch with us:

under www.wineo.de/service/newsletter you can simply register for the wineo newsletter. You are thus guaranteed not to miss anything and will always find out immediately when there is something new.

Always up-to-date: Also visit us on YouTube, Facebook, Twitter or Pinterest!

MUITI-AWARD-WINNING

Visible evidence of our quality standards are the numerous technical certifications. So that you can rely on them.





(applies to wineo 550)

CE mark

The CE mark confirms that the product has been tested and meets all the EU-wide requirements for safety, health protection and environmental protection.



www.blauer-engel.de/uz176

"Blue Angel" [Blauer Engel]

The "Blue Angel" guarantees that our products and services fulfil high requirements placed on environmental, health and usage properties. Criteria are complied for each product group, which are checked every three to four years by the Federal Environment Agency.

PEFC

The PEFC quality seal is based on very strict guidelines for managing our forests in a sustainable manner and guarantees that timber is used from verified cultivation sources. The whole product manufacturing process – from the raw material through to the ready-to-use end product - is certified and verified by independent assessors.

UPEC

The UPEC classification represents a grading of floor coverings relating to usage and function and applies in France. It is carried out by the CSTB (Scientific and Technical Centre for Building) for premises that are frequented particularly intensively. A higher index figure corresponds to a higher level of durability.

U: trampling wear

P: impression marks caused by furniture or other fixed or mobile furnishings (objects)

E: reaction to water

C: reaction to chemicals and household dirt



Top-Innovator 2015

Top 100

Wineo

For our many years of continuous research and development work we were given the accolade of "Top innovator 2015" in the German SME secto

French market.

A+



UPEC

3 3 1 2 ST11-036

ÉMISSIONS DANS L'AIR INTÉRIEUR*


Just like the "Blue Angel" in

our products as ecological,

Germany, the A+ seal identifies

healthy and user friendly in the

3 3 1 2 ST11-035 (applies to wineo 500 medium V2)



WINEO QUALITY

wineo stands for modern quality floors in the midst of life. We meet requests and ideas in a pleasant manner and at eye level. That is why we are the best reason for attractive home living, demanding workplaces and successful shops. Quality, service and innovative strength are at the focus of what we do.

Controlled quality

As the wineo floors have to satisfy the highest demands, they are subject to intensive quality assurance. Starting with the raw materials suppliers worldwide through to the packed product, they undergo a 7-stage quality check under the highest standards. We can therefore guarantee that our multi-award-winning quality will set standards in future too.

High level of responsibility

As a family owned company in its 3rd generation, we bear a high level of social and ecological responsibility. The continuous availability of products, intensive application and marketing support, competent advice as well as permanent new and further product developments set wineo apart and create confidence and security among our market partners worldwide.

MADE IN GERMANY

COLLECTION OVERVIEW TECHNICAL CHARACTERISTICS

Collection	wineo 300	wineo 500 small V4	wineo 500 medium	wineo 500 medium V2	wineo 500 large V2	wineo 500 XL V4	wineo 550 matt	wineo 550 high gloss
Installation type	Click LocTec*	Click	Click	Click LocTec°	Click LocTec*	Click	Click LocTec°	Click LocTec*
Core board	HDF-Protect®				Aqua-Protect®			
Format	1288 × 195 mm	1380 × 160.5 mm	1288 × 195 mm	1288 × 195 mm	1380 × 246 mm	1845 × 195 mm	853 × 331 mm	853 × 331 mm
Product thickness with integrated insulation mat	7 mm 9 mm	8 mm -	8 mm 10 mm	8 mm -	8 mm -	10 mm -	8 mm -	8 mm -
Panels / box with integrated insulation mat	10 / 2.51 m² 8 / 2.01 m²	9 / 1.99 m² -	9 / 2.26 m² 7 / 1.76 m²	9/2.26 m² -	8 / 2.72 m² -	6 / 2.16 m² -	8 / 2.26 m² -	8/2.26 m ² -
Boxes / pallet with integrated insulation mat	52 / 130.52 m² 52 / 104.52 m²	66 / 131.34 m² -	52 / 117.52 m² 52 / 91.52 m²	52/117.52 m² -	52 / 141.44 m² -	50 / 108.00 m² -	45 / 101.70 m² -	45 / 101.70 m² -
Authentic joint design	-	V4 joint	-	V2 joint	V2 joint	V4 joint	-	-
Optionally available with integrated insulation mat	Noise-Reduct Basis	-	Sound-Protect Eco	-	-	-	-	-
Utilisation class EN ISO 10874	23/31				23/32			
Abrasion resistance EN 13329, Appendix E	AC3				AC4			AC4*
Impact resistance EN 13329, Appendix H	small ball ≥ 8 N large ball ≥ 500 mm				small ball ≥ 12 N large ball ≥ 750 mm			
Reaction to fire EN 13501-1					C _{f1} - s1			
Slip resistance EN 13893				μ	≥ 0.30 - DS			
Anti-static properties EN 1815	$\leq 2 \text{ kV}$	≤ 2 kV	\leq 2 kV	\leq 2 kV	≤ 2 kV	\leq 2 kV		
Resistance to staining EN 438		Group 1+2: Grade 5/Group 3: Grade 4						
Light fastness EN ISO 105-B02 (procedure 2)		≥6						
Residual indentation EN ISO 24343-1		≤ 0.05 mm						
Effect of a furniture leg EN 424				Foot Type 0) - no visible damage			
Castor chair test EN 425				25000 revolutions,	no damage with rolls type W			
Suitability for underfloor heating	Ir	n conjunction with suitable underl	ay material for example Sound Pro	otect Eco or suitable for all conv	ventional hot water underfloor h	eating and electronic systems re	egulated up to a surface temperati	ıre of 27° C.
Thermal resistance in (m²K) / W EN 12667 with integrated insulation mat	0.053 0.112	0.060 0.070	0.060 0.070	0.060 0.070	0.060 0.070	0.074 0.084	0.060 0.070	0.060 0.070
Impact sound reduction EN ISO 10140-3 with integrated insulation mat	~ 18 dB	-	~ 21 dB	-	-	-	-	-
Formaldehyde emission EN 717-1					E1			
Guarantee for private use according to Windmöller warranty conditions	15 years	15 years 20 years						
Decors	20	12	20	12	18	12	12	7
Page	14	22	26	32	36	40	46	50


* = Abrasion resistance: EN 15468, Appendice A


EXPLANATION OF SYMBOLS FOR A QUICK OVERVIEW

PRODUCT FEATURES









Suitability for underfloor heating




Suitability for damp areas




Anti-static properties
















UTILISATION CLASSES




Heavy-duty use in the domestic area











Abrasion resistance: AC3 (corresponds to utilisation class 23 / 31)



AC₄ Abrasion resistance:

AC4 (corresponds to utilisation class 23/32)

GUARANTEE



20 years guarantee (for private use)

SURFACES



Rough mat wood structure


Rustic mat wood structure



Rough sawn surface







Surface texture

Various embossings (wineo 300 and wineo 500) ensure a high degree of authenticity. Matt and high gloss finishes (wineo 550) give the decor brilliance and a depth of colour.

2 Wear layer

The particularly durable melamine resin overlay (wineo 300 and wineo 500) or the top coat (wineo 550) is the basis for classification into the corresponding application areas.

3 Decor

The decor paper (wineo 300 and wineo 500) or the decor varnish (wineo 550) provides a variety of design options.

Core board (4

The HDF core board HDF-Protect® (wineo 300) or Aqua-Protect® (wineo 500 and wineo 550) is protected against swelling.

Profile connection 5

Thanks to the tried-and-tested LocTec® locking system, the panels can easily be clicked into each other. wineo 500 XL V4 also features a fold-down locking on the short panel side.

6 Profile seal

A special profile seal protects the whole connection system against moisture.

Backing

(7)

8

The melamine resin backing (wineo 300 and wineo 500) and the kraft paper backing (wineo 550) provides balance and guarantees high dimensional stability.

Insulation mat

Optionally available for wineo 300 andselected products in the wineo 500 range: the integrated reflected walking and impact sound reduction, Noise-Reduct basic (wineo 300) and Sound-Protect Eco (wineo 500).



Windmöller GmbH Nord-West-Ring 21 D-32832 Augustdorf Tel.: +49 (0) 52 37 609 - 0 Fax: +49 (0) 52 37 609 - 309 info@wineo.de

en.wineo.de

WINGO