




# Xerox® VersaLink® C625 Color Multifunction Printer



Xerox® VersaLink® C625 Color Multifunction Printer is built on Xerox® ConnectKey® Technology. For more information, go to [ConnectKey.com](https://www.connectkey.com).

System Specification	
<b>Speed<sup>1</sup></b>	Up to 52 PPM 
Color/Black-and-White	Up to 52 PPM
<b>Monthly Duty Cycle<sup>2</sup></b>	Up to 150,000 pages
<b>Hard Drive/Processor/Memory</b>	TBD/ <b>Optional:</b> 500+ GB HDD/Intel Atom® Quad Core 1.91 GHz ARM Quad Core 1.2GHz /4 GB system memory
<b>Connectivity</b>	Ethernet 10/100/1000 Base-T, High-speed USB 2.0 direct print, <b>Optional:</b> WiFi/WiFi Direct with Xerox  Band Wireless Kit, <b>Bluetooth (iBeacon)</b>
<b>Controller Features</b>	Unified Address Book, Remote Control Panel, Configuration Cloning, Fleet Orchestrator, Configuration Watchdog
Copy and Print	
<b>Copy and Print Resolution</b>	<b>Copy:</b> Up to 600x600 dpi; <b>Print:</b> Up to 1200x1200 dpi
<b>First-Print-Out Time</b> (as fast as)	TBD seconds color/TBD seconds black-and-white
<b>First-Copy-Out Time</b> (as fast as) (from platen/ warmed-up state)	TBD seconds color/TBD seconds black-and-white 
<b>Page Description Language</b>	Adobe® PostScript® 3™, Adobe® PDF, PCL® 5c/PCL® 6
<b>Print Features</b>	Print from USB, Print from Cloud Repositories (Dropbox, OneDrive, and Google Drive), Encrypted Secure Print, Xerox® WorkCentre® Earth Smart Driver Settings, Job Identification, Booklet Layout, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Hold All Jobs, Print Around, Print on Alternate Paper; <b>Optional:</b> Print from and Scan to Xerox® DocuShare® Go content management
Mobile and Cloud Ready	
<b>Universal Print Ready</b>	Universal Print is a cloud print service, available to Microsoft 365 subscribers. It removes the need for on-site print servers and leverages the built-in drivers included in the Windows 10 and 11 PCs. You can enjoy the benefits of cloud hosting with a driverless setup for all Windows 10 and 11 clients.
<b>Mobile Connectivity</b>	<b>Optional:</b> Wi-Fi Direct, Wi-Fi (802.11 b/g/n/ac), <b>AirPrint (iOS) including iBeacon (Bluetooth) iBeacon (Bluetooth) for AirPrint Discovery</b>
<b>Mobile Printing</b>	Mopria® Print, <b>Apple AirPrint</b> , Xerox® Print Service (Android), Xerox @printbyXerox App; <b>Optional:</b> Xerox® Workplace App (iOS/Android), <b>iBeacon (Bluetooth) for AirPrint Discovery</b>
<b>Mobile Scanning</b>	Mopria® Scan, <b>Apple AirPrint Scan</b> ; <b>Optional:</b> Xerox® Workplace Mobile App (iOS/Android) <b>Optional Scan to Microsoft OneDrive, Google Drive and Dropbox</b>
<b>Mobile Apps and Xerox App Gallery</b>	Automate everyday processes with apps that translate, redact, eSign, personalize, print, convert, route, collaborate, and communicate. Visit <a href="https://www.xerox.com/WorkplaceApps">xerox.com/WorkplaceApps</a> to find apps by industry or workflow. Software and services: Xerox® DocuShare® ( <a href="https://www.xerox.com/ecm">xerox.com/ecm</a> ), XMPie® ( <a href="https://www.xerox.com/XMPie">xerox.com/XMPie</a> ), Xerox® Workplace Solutions ( <a href="https://www.xerox.com/WorkplaceSolutions">xerox.com/WorkplaceSolutions</a> )
<b>Xerox® Workplace Central Platform</b>	One-platform consistency for seamless productivity across computers, mobile devices and printers. With Workflow Central's ever-expanding suite of cloud-based workflows you can change documents into audio files for easy listening, convert PDF or image files to popular Microsoft formats for shareability with a wider audience, turn handwriting into legible, editable and shareable text, translate to/from over 40 different languages, and automatically redact Personal Identifiable Information using set words or phrases

# Xerox® VersaLink® C625 Color Multifunction Printer

<b>Xerox® Workplace Suite and Xerox® Workplace Cloud</b>	<b>Optional:</b> Xerox® Workplace Suite is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version (Workplace Suite) and with a cloud based-version (Workplace Cloud) of this solution
<b>Cloud Identity Provider (IdP) Integration</b>	Use your desktop, laptop, or mobile login credentials to log in to your VersaLink® MFPs with direct connections to popular cloud identity providers Okta, Ping Identity, and Microsoft® Azure
<b>Scan</b>	
<b>Standard Features</b>	<b>Destinations:</b> Scan to USB/Email/Network SFTP, SMB, HTTP, HTTPS, FTP destinations; <b>File Formats:</b> PDF, PDF/A, JPEG, TIFF; <b>Convenience Features:</b> Scan to Home, Single/Multi-Page PDF/TIFF, Password-protected PDF, Unified Address Book, Scan to Folder, 1-Touch Apps, TWAIN Support, <b>Touchless Workflow Accelerators</b>
<b>Optional Features</b>	Scan to Cloud Repositories (Dropbox, OneDrive, and Google Drive). Xerox® Scanning App for DocuShare®, other solutions available through various Xerox® Business Innovation Partners at <a href="http://xerox.com/Software-Solutions">xerox.com/Software-Solutions</a> , Print from and Scan to Xerox® DocuShare® Go content management
<b>Fax</b>	
<b>Standard Features</b>	Fax Build Job, <b>Network Server Fax Enablement</b> Fax Build Job
<b>Optional Features</b>	<b>Walk-up Fax (one-line-option-available)-includes LAN Fax, Direct Fax, Fax Forward to Email, or SMB Share</b>
<b>Security</b>	
<b>Standard Features</b>	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, Firmware Verification, Security Manager, LogRhythm SIEM, Splunk SIEM, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, Local Authentication (Internal Database), FIPS 140 User Access and Internal Firewall, Port/IP/Domain Filtering, Audit Log, Access Control, User Permissions, Configuration Watchdog, <b>TPM</b> , Trusted Boot, (AES 256-bit, FIPS 140, Job Level Encryption via HTTPS and Drivers, Signed Email, Common Criteria Certification, Encrypted Secure Print, Immediate Image Overwrite for hard disks and <del>Secure Erase for SSDs</del>
<b>Optional Features</b>	<b>Smart Card Enablement Kit (CAC/PIV/.NET)³</b> , <b>Xerox® Integrated RFID Card Reader</b> , Hard Disk (AES 256-bit, FIPS 140) with multi-pass Image Overwrite®, Xerox® Workplace Cloud/Suite Print Management and Content Security; learn more at <a href="http://xerox.com/WorkplaceSolutions">xerox.com/WorkplaceSolutions</a>
<b>Print Management</b>	
<b>Standard Features</b>	Xerox® Standard Accounting Feature (Copy, Print, Scan, Fax, Email), Network Accounting Enablement
<b>Optional Features</b>	Xerox® Workplace Cloud/Suite, other network accounting solutions available through various Xerox® Business Innovation Partners. Xerox® Virtual Print Management Service; learn more at <a href="http://xerox.com/PrintManagement">xerox.com/PrintManagement</a>

# Xerox® VersaLink® C625 Color Multifunction Printer

## Features and Accessories



**Single-Sheet Duplex Automatic Document Feeder (DADF)** saves time by simultaneously scanning both sides of two-sided documents with up to **104 ipm**. High paper capacity drives productivity, especially for tasks that require large batches of scanned or copied documents.



**The intuitive, tablet-like, tiltable touch screen** allows you to personalize your experience to get more done in fewer taps. Gain access to 100+ productivity apps through the Xerox App Gallery.

**The 100 sheet multi-purpose feeder** handles media sizes from 76 x 127 mm to 216 x 356 mm, SEF.

### OPTIONAL PAPER FEEDING

#### 550-sheet Tray

Add up to 4 additional 550-sheet trays for a total paper capacity of 2,850 pages


#### The Single Tray Module

increases total paper capacity up to 1,200.



#### The Three Tray Module

increases total paper capacity up to 2,300.



#### The Two Tray Module

increases total paper capacity up to 1,750.



#### The Four Tray Module

increases total paper capacity up to 2,850.



### OPTIONAL ACCESSORIES

**The Convenience Stapler** staples up to 20 sheets.



**Adjustable Stand**



**Printer Stand**




### XEROX® EASY ASSIST APP

With businesses moving to a more flexible work environment, workers need the right technology in place to keep productive and get back to what really matters. Xerox Easy Assist App allows you to easily and securely manage your device on the go right from your mobile phone, with real-time monitoring of printer performance and instant access to self-support services - all without the need for any IT support. Learn more at [xerox.com/EasyAssist](http://xerox.com/EasyAssist).





# Xerox® VersaLink® C625 Color Multifunction Printer

Device Specification	
<b>Control Panel Languages</b>	US English, International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Turkish, Greek, Russian, Czech, Polish, Hungarian, Romanian, Catalan, Arabic, Croatian, Ukranian
Accessories	
<b>Optional</b>	Convenience Stapler Smart Card Enablement Kit <sup>3</sup> Scan To Cloud Enablement Kit Unicode Font Kit Walk-up Fax (One-line option, includes LAN Fax) Wi-Fi/Wi-Fi Direct/iBeacon (for AirPrint Discovery) with Dual Band Wireless + Bluetooth kit 500GB+ HDD 
Electrical Requirements	
<b>North America</b>	Voltage: 110–127 VAC +/-10% Frequency: 50/60Hz +/- 3%, 10A
<b>Europe</b>	Voltage: 220–240 VAC +/-10% Frequency: 50/60Hz +/- 3%, 5A
Power Consumption	
<b>Running (Average)</b>	115V: 8.4A, 110-127V 230V: 4.03A, 220-240V
<b>Standby Mode</b>	115V: 32W 230V: 32W
<b>Auto Off/Sleep Mode</b>	115V: 1.2W 230V: 1.2W (Default time to sleep mode = 15 minutes)
<b>Warm-up (from Off)</b>	69.4 sec
<b>Recovery from Sleep</b>	As fast as TBD seconds
Operating Environment	
<b>Required Temperature Range</b>	50 to 90°F/ 10 to 32.2°C
<b>Required Relative Humidity</b>	15 to 80% RH
<b>Sound Power Levels</b>	Operating: 7 db(A) or less Standby: 3 db(A) or less
Dimensions and Weight	
<b>Base Configuration</b>	Width: 18.85 in/479 mm Depth: 20.9 in/533 mm Height: 24.44 in/621 mm Weight: 86 lb/39 kg
System Certifications/Regulatory Compliance	
<b>Certifications</b>	To view the latest list of certifications, go to <a href="http://xerox.com/OfficeCertifications">xerox.com/OfficeCertifications</a>

# Xerox® VersaLink® C625 Color Multifunction Printer

Paper Handling	
<b>Complex Automatic Document Feeder (DADF)</b>	
Capacity <sup>4</sup>	100 sheets
Speed (Up to)	Letter: 52 ppm simplex, 40 ppm duplex A4: 50 ppm simplex, 38 ppm duplex
Paper Sizes Sensed	4.13 x 5.83 in to 8.5 x 14 in/105 x 148 mm to 215.9 x 355.6 mm
Weights	14 to 32 lb bond/52 to 120 gsm
<b>Bypass Tray (Standard)</b>	
Capacity <sup>4</sup>	100 sheets
Sizes	Custom Sizes: 3.94 x 5.83 in to 8.5 x 14 in/100 x 148 mm to 215.9 x 355.6 mm
Weights	16 to 58 lb bond/60 to 218 gsm
Media Types	Bond Card Stock Custom Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled
<b>Trays 1 (Standard)</b>	
Capacity <sup>4</sup>	550 sheets
Sizes	Tray 1: Custom Sizes: 4.13 x 5.83 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm
Weights	16 to 58 lb bond/60 to 218 gsm
Media Types	Bond Card Stock Custom Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled

# Xerox® VersaLink® C625 Color Multifunction Printer

Paper Handling (continued)	
Optional Paper Feeding	
Capacity <sup>4</sup> (Add up to 4 additional 550-sheet trays)	<b>Single Tray Module: 550</b> <b>Two Tray Module: 1,100</b> <b>Three Tray Module: 1,650</b> <b>Four Tray Module: 2,200</b> 
Sizes	4.13 x 5.83 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm
Weights	16 to 58 lb bond/60 to 218 gsm
Media Types	Bond Card Stock Custom Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled
Total Capacity	
Device Total Capacity <sup>4</sup>	<b>Base Model: 650 sheets</b> <b>Single Tray Module: Increases total paper capacity to 1,200</b> <b>Two Tray Module: Increases total paper capacity to 1,750</b> <b>Three Tray Module: Increases total paper capacity to 2,300</b> <b>Four Tray Module: Increases total paper capacity to 2,850</b> 

# Xerox® VersaLink® C625 Color Multifunction Printer

Copy	
<b>First-Copy-Out Time</b> (from platen/warmed up Color/Black-and-White)	As fast as 5.5 sec mono letter As fast as 6.1 sec color letter
<b>Sides (input-output)</b>	1-1, 1-2, 2-2, 2-1
<b>Quantity</b>	1 to 9,999
<b>Resolution (max)</b>	Up to 600 x 600 dpi
<b>Reduction/Enlargement</b>	Variable zoom from 25 % to 400 % in 1 % increments
<b>Concurrency</b>	Program-ahead to allow job to be queued while initial job is processed (Copy, Print, Fax, and Scan)
<b>Copy Features</b>	<ul style="list-style-type: none"> <li>Annotation and Bates™ stamping (with color capability and font size adjustment)</li> <li>Authentication for Services (i.e., Color Copy)</li> <li>Auto Paper Select</li> <li>Auto Reduction &amp; Enlargement (to fit selected paper size)</li> <li>Auto Tray Switching</li> <li>Automatic 2-sided/Duplex Booklet Creation</li> <li>Build Job (Enables page-level programming and also lets you proof each section or delete last section as the job is built) Build Job is supported for all Copy (Productivity Kit is required) and ScanTo/Email/Workflow Scanning/Server Fax/Embedded Fax (Productivity Kit is not required)</li> <li>Collation</li> <li>Covers (Front only, front and back, back only, printed inside and out: Blank or Printed)</li> <li>Dividers (blank)</li> <li>Edge Erase</li> <li>Features Help (Intuitive text and graphic descriptions)</li> <li>ID Card Copy</li> <li>Image Quality Adjustments</li> <li>Image Shift (with Auto Center option)</li> <li>Imaging Security</li> <li>Invert Image (negative or mirror image)</li> <li>Large Job Interrupt</li> <li>Multi-up (up to 15 columns by 15 rows)</li> <li>Sample Set</li> <li>Save Job Settings</li> <li>Single Color</li> <li>Stapling</li> <li>Touchless Workflow Accelerators</li> </ul>

# Xerox® VersaLink® C625 Color Multifunction Printer

Print	
<b>Resolution</b> (up to)	1200 x 1200 dpi
<b>Print Features</b>	<p>Application Defaults            Banner Sheet Enable/Disable            Booklet Layout            Cover Selection            Delay Print (specific time) User Permissions            Fit to New Paper Size            Hold All Jobs            Image Options (Resolution (Enhanced, High))            Job Identification (Print ID or Banner, Print ID in margins on first page only or all pages)            LAN Fax (requires optional Fax Kit)            Layout/Watermark            N-up (up to 16 pages per sheet)            Paper Selection by Attribute Sample Set            Print From Cloud Repositories (Dropbox, OneDrive, and Google Drive)            Saved Job (color jobs can be printed as monochrome)            Secure Print with Timed Deletion            Special Pages (exception page programming: covers, inserts, exception pages)            Store and Recall Driver Settings            Sustainability Features (Xerox® WorkCentre Earth Smart, Duplex, N-up, Turn-off Banner and Print ID, Smart Sample Set, Hold All Jobs)            Two-sided Printing (as default)</p>
<b>Print from USB</b>	<p>Allows walk-up printing from Type A USB port on front panel            Supports direct printing from computer via Type B USB port            Supported file formats: PDF, JPEG, TIFF, PS, PCL            Color jobs can be printed as black-and-white</p>
<b>Operating Systems</b>	<p>Windows Server 2008 SP2 (32- and 64-bit)            Windows Server 2008 R2 (64-bit)            Windows Server 2012 and R2 (64-bit)            Windows Server 2016 (64-bit)            Windows Server 2019 (64-bit)            Windows 8 (32- and 64-bit)            Windows 8.1 (32- and 64-bit)            Windows 10 (32- and 64-bit)            Windows 11 (32- and 64-bit)            Mac OS 10.13, 10.14, 10.15            Fedora® Core            Ubuntu®</p>
<b>Network Protocols</b>	<p>TCP/IP: HTTP, HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD            Microsoft Windows Networking over IP            Support for Microsoft Universal Print            Bonjour®/AirPrint™            IPv6            Most protocols not in use can be disabled</p>
<b>Font Capability</b>	PCL: 93 scalable fonts, line printer, and bitmap font (including Cyrillic font support) PostScript 3: 173 Type 1 fonts, 2 Multiple Master fonts
<b>Xerox® Global Print Driver®</b>	A truly universal print driver that lets IT administrators install, upgrade, and manage Xerox® Devices and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management.
<b>Xerox® Pull Print Driver</b>	Makes it easy for IT managers to qualify, deploy, and manage all print devices using a single driver in a Pull Print environment. Uses a single queue and single driver. The Xerox® Pull Print Driver extends convenience across a broad range of printing assets. IT administrators no longer need to manage and configure multiple drivers. Used in conjunction with Equitrac Office®, Ysoft® SafeQ®, Pharos®, and others
Unified Address Book for Fax, Internet Fax, Email and Scan to...	
<b>Features</b>	<p>Services supported: Fax, Internet Fax, Email, Scan to            Maximum contacts: 5,000            Contacts: Supports 1 or more destinations            Favorites for quick access of all services supported</p>



# Xerox® VersaLink® C625 Color Multifunction Printer

Scan	
<b>Concurrency</b>	Scan while the system is printing, copying, or while it is transferring scan to network or fax jobs (priority is for return of scanned originals and printing concurrent jobs)
<b>Input Speed (up to)</b>	Simplex: 52ppm/49 mono/color Letter/A4 Duplex: 104ppm/98ppm mono/color Letter/A4
<b>Resolution</b>	75 x 75 dpi up to 600 x 600 dpi
<b>Bit Depth</b>	1-bit (black-and-white), 8-bit (grayscale), 24-bit (color)
<b>Maximum Scan Area</b>	8.5 x 14 in (215.9 x 355.6 mm), Legal
<b>Scan Template Management</b>	Support 250 scan templates Create Xerox® CentreWare® IS scan templates and share via device cloning to other multifunction printers' confirmation sheet options
<b>Network Protocols</b>	SFTP, FTP, SMB, HTTP, HTTPS
<b>File Compression</b>	Color TIFF (TIFF 6.0 or TTN2 with JPEG, LZW) Black-and-white TIFF (G3MH, G4 MMR compression – single or multiple pages) PDF/A-1b (MRC, JPEG, G3 MH, G4 MMR, JBIG 2 Huffman, JBIG Arithmetic Compression, Deflate (for black-and-white and within MRC)) Linearized PDF/PDF/A
<b>Document Management Fields (Metadata)</b>	Features only available in Network Scan to File Templates: <ul style="list-style-type: none"> <li>• 1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value, and other configurations</li> <li>• Customized fields viewed on user interface for variable data input</li> </ul>
<b>Scan Features</b>	Auto Background and Shadow Suppression Bound Originals Compression Quality/File Size Control Edge Erase Mixed Size Originals Scan Build Job Original Type (Photo and Text, Photo, Text, Newspaper/Magazine) Reduction/Enlargement Single Touch Scan buttons (up to 10) Size for Size (for mixed size originals) Touchless Workflow Accelerators TWAIN Support/WIA 2.0 Support
Scan to Email (Standard)	
<b>Scan Features</b>	<ul style="list-style-type: none"> <li>• Auto send to self</li> <li>• Email signatures (6 lines each of 128 character max), email message body (user configurable), email Embedded Web Server confirmation sheet options</li> <li>• Email signing (requires Smart Card option)</li> <li>• Scan to Email S/MIME Encryption</li> <li>• Touchless Workflow Accelerators</li> </ul>
<b>Directory Access</b>	Address list via LDAP (Windows Active Directory, Exchange, Notes, Domino), Device Address Book
Scan To	
<b>Standard Features</b>	Scan to Email Scan to Home Scan to Mailbox Scan to Network (using Secure FTP/HTTP/HTTPS) Scan to Network Folder (using Secure FTP/HTTP/HTTPS) Scan to PC/Server Client (SMB or FTP) Scan to USB
<b>Optional Features</b>	Native Scan to Cloud Repositories (Dropbox, OneDrive, and Google Drive) <sup>3</sup>
Workflow Scanning (Optional features)	
<b>Scanning Software</b>	Autostore v7 eCopy ScanStation v5.2 ecopy ShareScan v5.2
<b>Scanning Apps and Xerox App Gallery</b>	Scan to: Dropbox, Google Drive, Microsoft OneDrive, Microsoft Office 365, Box, Xerox® Workplace Mobile App (iOS/Android) See the full list of apps available in the Xerox App Gallery: <a href="http://xerox.com/AppGallery">xerox.com/AppGallery</a>

# Xerox® VersaLink® C625 Color Multifunction Printer

## Security

### Features

- Audit Log
- Cisco® Identity Services Engine (ISE) compatible
- Configuration Watchdog (Monitors and remediates 75 security settings in the following areas):
  - 802.1x
  - Admin Password Reset
  - Audit Log
  - Automatic Software Upgrade
  - Email Alerts
  - **FIPS 140-2**
  - Hold All Jobs
  - Immediate Job Overwrite<sup>9</sup>
  - Installation Policies
  - PII - Login Name
  - PostScript Passwords
  - Remote Services Enablement
  - Remote Start (Mopria(R) or AirPrint™)
  - Remote Start (TWAIN)
  - Reprint Saved Jobs
  - Scan to Mailbox (Internal storage)
  - Scheduled Disk Overwrite<sup>9</sup>
  - Secure Passcode Length
  - Secure Print Device Policies
  - SIEM
  - SNMP
  - System Timeout
  - USB (Print from USB)
  - USB (Scan to USB)
  - USB Port Management
  - User Data Encryption
- Expanded Authentication
  - Digitally signed PDF (when using Smart Card authentication)
  - Encrypted and authentication to SMTP server for Scan to Email
  - Encrypted/Password Protected PDF (when using Email and Network Scan Templates only)
  - **FIPS 140-2 256 bit Hard Disk Encryption**, TLS 1.1/1.2/1.3, IPPS, HTTPS, SFTP, SNMPv3
  - Immediate Image Overwrite/Securely delete jobs using approved algorithms<sup>9</sup>
  - Local Authentication (internal database)
  - Network authentication to access device and/or device services via Kerberos (UNIX/Windows Server 2008), SMB (Windows Server 2008, Windows server 2012), NDS, LDAP authentication
  - On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk<sup>9</sup>
  - **Smart Card authentication – 144k CAC/PIV Card Support (2048 bit certificate key)/.NET**
  - Secure Data
  - Secure Print (up to 10 digit PIN or Network Authentication)
- Expanded Authorization
  - Authorization per user per service
  - SA access based on network credentials
  - Secure Network Access
  - User Permissions required to access Print and Print Features (e.g., color access, or time restrictions) reflects in the print driver
- **Full System Common Criteria certified by NIAP under HD Protection Profile for Hardcopy Devices v1.0 (HCD-PP v1.0)**
- Hide Print Job Names
- IP Filter, IPsec, IPv6, TLS V1.0, V1.2, V1.3, SNMP V1/V2/V3, HTTPs, 802.1X, SFTP
- Port disablement including USB ports

# Xerox® VersaLink® C625 Color Multifunction Printer

Fax	
Network Server Fax Features	
<b>Compatibility</b>	ITU (CCITT) Group 3 / ECM; Various Xerox® Business Innovation Partner Solutions
<b>Maximum Scan Area</b>	8.5 x 14 in (215.9 x 355.6 mm), Legal
<b>Fax Send Features</b>	One- or Two-sided Scanning (up to TBD) Add to Send List (200 numbers maximum) Build Job, Favorites, Delay Send (specific time) Original Type (photo, text or photo and text)
<b>Fax Print Features</b>	One- or Two-sided Printing, Staple, Secure Print
<b>Transmission Resolution</b>	<p><b>Mono Resolution</b></p> <p>Standard 200 x 100 dpi (Send) 200 x 100 dpi, 204 x 98 dpi (Receive)            Fine 200 x 200 dpi (Send) 200 x 200 dpi, 204 x 196 dpi (Receive)            SuperFine 300 x 300 dpi (Send) 300 x 300 dpi, 204 x 391 dpi (Receive)            UltraFine 600 x 600 dpi (Send) 600 x 600 dpi, 400 x 400 dpi, 408 x 391 dpi (Receive)</p> <p><b>Color Resolution</b></p> <p>Fine 200 x 200 dpi (Send) 200 x 200 dpi (Receive)            SuperFine 300 x 300 dpi (Send) 300 x 300 dpi, 400 x 400 dpi (Receive)</p>
Walk-up Fax Features (Customer-Installable – 1 and 2 lines)	
<b>Compatibility</b>	ITU (CCITT) Group 3
<b>Speed/Modems</b>	Single V.34 modem: V.34 33600 – 2400 BPS. Less than 4 seconds per page transmission time
<b>Compression/Speed</b>	MH/G3, MR/G3, MMR/SG3, JBIG/SG3
<b>Resolution</b>	<p><b>Walkup Send:</b></p> <p><b>Mono Resolution</b></p> <p>Standard 200 x 100 dpi (Send) 200 x 100 dpi, 204 x 98 dpi (Receive)            Fine 200 x 200 dpi (Send) 200 x 200 dpi, 204 x 196 dpi (Receive)            SuperFine 300 x 300 dpi (Send) 300 x 300 dpi, 204 x 391 dpi (Receive)            UltraFine 600 x 600 dpi (Send) 600 x 600 dpi, 400 x 400 dpi, 408 x 391 dpi (Receive)</p> <p><b>Color Resolution</b></p> <p>Fine 200 x 200 dpi (Send) 200 x 200 dpi (Receive)            SuperFine 300 x 300 dpi (Send) 300 x 300 dpi, 400 x 400 dpi (Receive)</p> <p><b>Receive:</b> Accepts all sizes</p>
<b>Fax Send Features</b>	LAN Fax (fax from print driver) Auto Fax Transmission Reduction Page-by-page Job Status at the Machine Delay Start, Build Job, Favorites Automatic Memory Resend Automatic Cover Sheets PSTN Fax Batch Send (up to memory capacity) Device Address Book (up to 5,000 contacts) Touchless Workflow Accelerators
<b>Fax Receive Features</b>	One- or Two-sided Printing Stapled or Unstapled Receive Print Mode – Manual (size, margin, stock, header)/Auto Output Tray Selection Up to 200 Password-protected Mailboxes Secure Receive Receive Timestamp Auto Answer Delay
<b>Fax Forward</b>	Forward to Email or SMB Location Fax Forward on Receive Only
<b>Fax Reports</b>	Activity, Dial Directory, Group Directory, Transmission Confirmation, Pending Fax, Options Report, On Demand Overwrite <sup>9</sup> Report, Mailbox Report, Broadcast Report
<b>Directory Access</b>	Utilizes the Unified Address Book Group fax available
<b>Auto Redial</b>	Up to 14 attempts (per country requirements) 1 to 25 minute intervals
<b>Auto Resend</b>	Up to 5 attempts

# Xerox® VersaLink® C625 Color Multifunction Printer

Device Management	
<b>Administrative Protocols</b>	DHCP, BOOTP, SNMP, SLP® v2, HTTP, HTTPS, AutoIP (Self Assigned Address)DHCP Autonet, TLS, NTP, DNS, SMB, SMTP/POP3, WSD, LDAP, Multicast DNS, Bonjour
<b>Management Support</b>	SNMP Version 1, SNMP Version 2c and SNMP Version 3 trap over TCP/IP and IP MIB access (IETF-MIBII RFC 1213) Host Resources MIB RFC 2790, Printer MIB RFC 3805, PWG-Imaging-System-Power MIB, Fleet Orchestrator, Configuration Watchdog
<b>Xerox® CentreWare® Web Software</b>	A Web-based server application for network administrators that permits Web browser-based device management from any workstation, whether running on Windows, UNIX, or any other operating system: <ul style="list-style-type: none"> <li>• Works with any SNMP-managed printer from any manufacturer</li> <li>• Remote configuration of SNMP v3</li> <li>• Provides help with device discovery and installation, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management</li> <li>• Auto-detect Xerox® CentreWare® Web server and download configurations files for touchless remote install</li> </ul>
<b>Xerox® Device Manager</b>	Xerox® Device Manager collects and manages the data that drives fact-based decisions for your enterprise device management environment. It is a single tool to install print queues and configure, manage, monitor, and report on both networked and locally connected devices – regardless of vendor – across your enterprise. Xerox® Device Manager provides: <ul style="list-style-type: none"> <li>• Device monitoring and troubleshooting</li> <li>• Remote configuration of SNMP v3</li> <li>• Extensive reporting and discovery of new devices</li> <li>• Usage collection, chargeback, and billing capabilities</li> <li>• Auto-detect Xerox® Device Manager server and download configurations files for touchless remote install</li> </ul>
<b>Xerox® Workplace Cloud</b>	Remote management to set and audit device configuration data with Xerox® Workplace Cloud, eliminating the need for an on-site server
<b>Fleet Orchestrator</b>	Fleet Orchestrator feature offers the ability to create a group of devices that share information with each other via a secure peer-to-peer connection. The following data can be shared: Software update files, clone files, and 1-Touch App files. Auto-assembly feature allows a new VersaLink® to automatically set itself up on the network to be automatically configured
<b>Xerox® Device Types for SAP Environment</b>	Xerox, together with SAP through our Gold-level membership in the SAP Printer Vendor Program, provides seamless connectivity between SAP systems and your Xerox® Printers and Multifunction Printers. As an SAP customer, you benefit from having SAP-certified Xerox® Device types available right from SAP's online delivery model. SAP-certified device types for Xerox® Printers and Multifunction Printers are available to download. <a href="http://office.xerox.com/Software-Solutions">office.xerox.com/Software-Solutions</a>
<b>Xerox® Device Types for SAP R/3 Intelligent Barcode Utility (optional)</b>	Provides built-in process intelligence that allows the printing of barcodes on any appropriately configured PostScript printer in specific versions of SAP environment and within Latin-1 (ISO8859-1) SAP system code pages only. Used in conjunction with Xerox® PostScript Device Types for SAP environment and Xerox® Font Center Barcode Fonts. Information available at <a href="http://office.xerox.com/Software-Solutions">office.xerox.com/Software-Solutions</a>
Xerox® Embedded Web Server – Integrated Device Web Pages Provided by the Device	
<b>Device Status</b>	Web server embedded in Network Controller: <ul style="list-style-type: none"> <li>• Tray status/contents</li> <li>• Consumables status</li> <li>• Alerts</li> <li>• Remote Control Panel</li> </ul>
<b>Job Submission</b>	Print-ready files: PS, PCL, TIFF, PDF, JPG, TXT, PRN Output feature selection (2-sided, output color, collate, orientation, output destination) Delivery options (Immediate, sample set, delay, secure, save job for reprint)
<b>Device Administration</b>	Allows simple, remote installation setting of configuration options and management of the device, Fleet Orchestrator
<b>Browsers</b>	Internet Explorer 10.x, 11.x Safari 10.x, 11.x Mozilla Firefox 45.x through 53.x Opera 25.x through 53.x Chrome 48.x through 72.x
<b>Support</b>	Install print/scan drivers and online support available via <a href="http://support.xerox.com">support.xerox.com</a>
<b>Languages Supported</b>	International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Russian, Simplified Chinese, Korean, Japanese, Arabic, Croatian, Ukranian
Remote Services	
<b>Xerox® Automatic Meter Readings (AMR)</b>	Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® Device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time
<b>Xerox® Automatic Supplies Replenishment (ASR)</b>	Automatically orders supplies for Xerox® Devices based on actual usage, eliminating the need to manually manage supplies inventory



# Xerox® VersaLink® C625 Color Multifunction Printer

Accounting		
Xerox® Standard Accounting (Standard)		
Tracking	Copy, Print, Fax, Scan, and Email usage	
Accounting	Up to 2,495 User Accounts (User ID) Up to 500 General Accounts (Client) Up to 498 Group Accounts (Department)	
Features	<ul style="list-style-type: none"> <li>Administrator can manage the feature via the Web User Interface or device control panel in tools</li> <li>Administrator has the ability to import or export User Accounts, Group Accounts, General Accounts, and User Limits via an industry standard CSV file</li> </ul>	
Accounting Options – Network Accounting (Allows central server to manage all accounting)		
	<ul style="list-style-type: none"> <li>Enhanced network accounting with up-to-the-minute data on how the system is being used</li> <li>Comprehensive management and enterprise-scale tracking and reporting of device usage of copy, print, scan, and server fax</li> <li>Numerous solutions are available through Xerox Alliance Partners. For details, visit <a href="http://xerox.com">xerox.com</a></li> <li>Security enhancements with the addition of HTTPS protocol support</li> <li>Device requests account authentication from third-party server enabling larger databases of users and accounts</li> <li>Accept Authentication Login at control panel and pass to third-party Networking Account</li> <li>Interface with third-party accounting terminal for accounting user interface</li> </ul>	
Supplies	Description	Yield
Toner Cartridge <sup>1</sup>	Black Cyan Magenta Yellow	TBD pages TBD pages TBD pages TBD pages
Staple Cartridges	Convenience Stapler (TBD cartridge per carton)	TBD each cartridge
Staple Refills	Convenience Stapler (TBD refills per carton)	TBD each refill
Xerox® Smart Kit <sup>2</sup>		
Drum Cartridge <sup>2</sup>	1 Cartridge per Color	TBD pages
Waste Toner Container w/o Suction Filter <sup>8</sup>	1 Cartridge	TBD pages

<sup>1</sup> Declared in accordance with ISO/IEC 24734.

<sup>2</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

<sup>3</sup> Not available in all geographies.

<sup>4</sup> Paper capacities are based on 20 lb/75 gsm stock; capacities will vary with different weight stocks.

<sup>5</sup> Sold separately in some geographies.

<sup>6</sup> Average standard pages. Declared in accordance with ISO/IEC 19798. Toner yield can vary due to many factors, including but not limited to, image area coverage, image content, media size, media orientation, run mode, application types, monthly print volumes, and image quality set-points.

<sup>7</sup> Average drum yield is based on a run length of 5 pages of 8.5 x 11 in/A4 LEF pages, with split of 35% color/65% black-and-white pages.

<sup>8</sup> Waste Toner Container yield will vary depending on type of image, area coverage %, and Job run length.

Return spent imaging supplies through the Xerox® Green World Alliance® collection/reuse/recycling program. Visit [xerox.com/About-Xerox/Recycling](http://xerox.com/About-Xerox/Recycling).

For more information, visit us at [xerox.com/Office](http://xerox.com/Office).