



Xerox® VersaLink® C620 Color Printer is built on Xerox® ConnectKey® Technology. For more information, go to **ConnectKey.com**.

System Specification			
Speed¹ Color and Black-and-White: Up to 52/50 ppm Letter/A4			
	Duplex Print Speed: 40/38 ipm Letter/A4		
Monthly Duty Cycle <sup>2</sup>	Up to 150,000 pages		
Processor/Memory/ Hard Drive	Quad Core 1.2GHz/4 GB system memory/32 GB eMMC/ <b>Optional</b> : 500+GB HDD		
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 2.0 direct print, NFC; <b>Optional:</b> WiFi/WiFi Direct with Xerox® Wireless Network Adapter		
Controller Features	Unified Address Book, Remote Control Panel, Configuration Cloning, Fleet Orchestrator, Configuration Watchdog, Security Dashboard		
Print			
Print Resolution	<b>Print:</b> Up to 1200 x 1200 dpi		
First-Print-Out Time (as fast as)	8.1 seconds color/6.2 seconds black-and-white		
Page Description Language	Adobe® PostScript® 3™, Adobe® PDF, PCL® 5c/PCL® 6		
Print Features	Print from USB, Print from Cloud Repositories (Dropbox, OneDrive, and Google Drive), Encrypted Secure Print, Xerox® WorkCentre® Earth Smart Driver Settings, Job Identification, Booklet Layout, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Hold All Jobs, Print Around, Print on Alternate Paper		
Mobile and Cloud Ready			
Universal Print Ready	Microsoft Universal Print is a cloud print service, available to Microsoft 365 subscribers. It removes the need for on-site print servers and leverages the built-in drivers included in the Windows 10 and 11 PCs. You can enjoy the benefits of cloud hosting with a driverless setup for all Windows 10 and 11 clients. Utilize the Xerox Print Support App (PSA) to gain access to the Xerox Print Properties user interface.		
Mobile Connectivity	<b>Optional:</b> Wi-Fi Direct, Wi-Fi (802.11 b/g/n/ac)AirPrint (iOS) including iBeacon <sup>3</sup> (Bluetooth) for AirPrint Discovery		
Mobile Printing	Mopria® Print, Apple® AirPrint®, Xerox® Print Service (Android), Xerox @PrintByXerox App; <b>Optional:</b> Xerox® Workplace App (iOS/Android), iBeacon³ (Bluetooth) for AirPrint Discovery		
Mobile Apps and Xerox App Gallery	Automate everyday processes with apps that translate, redact, eSign, personalize, print, convert, route, collaborate, and communicate.  Visit xerox.com/WorkplaceApps to find apps by industry or workflow. Software and services: Xerox® DocuShare® Content Management Platform (xerox.com/ecm), XMPie® (xerox.com/XMPie), Xerox® Workplace Solutions (xerox.com/WorkplaceSolutions)		
Xerox® Workflow Central Platform	<b>Optional:</b> One-platform consistency for seamless productivity across computers, mobile devices and printers. With Workflow Central's ever-expanding suite of cloud-based workflows you can change documents into audio files for easy listening, convert PDF or image files to popular Microsoft formats for shareability with a wider audience, turn handwriting into legible, editable and shareable text, translate to/from over 40 different languages, and automatically redact Personal Identifiable Information using set words or phrases		

Xerox® Workplace Suite and Xerox® Workplace Cloud	<b>Optional:</b> Xerox® Workplace Suite is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version (Workplace Suite) and with a cloud based-version (Workplace Cloud) of this solution	
Cloud Identity Provider (IdP) Integration	Use your desktop, laptop, or mobile login credentials to log in to your VersaLink® MFPs with direct connections to popular cloud identity providers Okta, Ping Identity, and Microsoft® Azure	
Security		
Standard Features	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, Firmware Verification, Security Manager, LogRhythm SIEM integration, Splunk SIEM integration, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, Local Authentication (Internal Database), User Access, Port/IP/Domain Filtering, Audit Log, Access Control, User Permissions, Configuration Watchdog, Trusted Platform Module (TPM 2.0), Trusted Boot, AES 256-bit, FIPS 140-3, Job Level Encryption via HTTPS and Drivers, Signed Email, Common Criteria Certification®, Encrypted Secure Print, Immediate Image Overwrite for optional hard disks	
Optional Features	Xerox® RFID Card Reader, Hard Disk (AES 256-bit) with multi-pass Image Overwrite <sup>4</sup> , Xerox® Workplace Cloud/Suite Print Management and Content Security learn more at xerox.com/WorkplaceSolutions	
Print Management		
Standard Features	Xerox® Standard Accounting Feature (Print, Email), Network Accounting Enablement	
Optional Features	Xerox® Workplace Cloud/Suite, other network accounting solutions available through various Xerox® Business Innovation Partners. Xerox® Virtual Print Management Service; learn more at xerox.com/PrintManagement	

### Features and Accessories





The intuitive, tablet-like, 7-inch tiltable touch screen allows you to personalize your experience to get more done in fewer taps. Gain access to an array of productivity boosting apps through the Xerox App Gallery.

The 100-Sheet Bypass Tray handles media sizes from  $3 \times 5$  in to  $8.5 \times 14$  in/76.2  $\times 127$  mm to  $216 \times 356$  mm (Includes 550-sheets standard capacity and additional 100-sheet bypass tray)

**The 550-Sheet Tray** handles media sizes from  $4.1 \times 5.8$  in to  $8.5 \times 14$  in/105  $\times 148$  mm to  $216 \times 356$  mm (Includes 550-sheets standard capacity and additional 100-sheet bypass tray)

### **OPTIONAL PAPER FEEDING**

#### 550-Sheet Tray

Add up to 4 additional 550-sheet trays for a total paper capacity of 2,850 pages



### **OPTIONAL ACCESSORIES**

Wireless Network Adapter

Printer Stand

500+GB Hard Disk

Card Reader Kit





### XEROX® EASY ASSIST APP

With businesses moving to a more flexible work environment, workers need the right technology in place to keep productive and get back to what really matters. Xerox Easy Assist App allows you to easily and securely manage your device on the go right from your mobile phone, with real-time monitoring of printer performance and instant access to self-support services - all without the need for any IT support. Learn more at xerox.com/EasyAssist.



 $Paper\ capacities\ are\ based\ on\ 20\ lb/75\ gsm\ stock; capacities\ will\ vary\ with\ different\ weight\ stocks.$ 

Control Panel Languages  US English, International English, International French, Italian, German, International Spanish, Dutch, B Finnish, Turkish, Greek, Russian, Czech, Polish, Hungarian, Romanian, Catalan, Arabic, Croatian, Ukraniar Accessories			
Accessories			
Optional Wireless Network Adapter 500+GB HDD Unicode Font Kit	500+GB HDD		
Electrical Requirements			
North America Voltage: 110–127 VAC +/-10% Frequency: 50/60Hz +/- 3%, 10A	Voltage: 110–127 VAC +/-10% Frequency: 50/60Hz +/- 3%, 10A		
Europe Voltage: 220–240 VAC +/-10 % Frequency: 50/60Hz +/- 3 %, 5A			
Power Consumption			
Running (Average) 8.2A, 110-127V 3.9A, 220-240V			
Standby Mode 25W			
Auto Off/Sleep Mode 1.0W (Default time to sleep mode = 1 minute)			
Warm-up (from Off) 122 sec	122 sec		
Recovery from Sleep As fast as 2.9 seconds	As fast as 2.9 seconds		
Operating Environment			
Required Temperature Range 50 to 90°F/10 to 32.2°C			
Required Relative Humidity 15 to 80% RH			
Sound Power Levels Operating: 7 B(A) or less Standby: 3 B(A) or less			
Sound Pressure Levels Operating: 55 db(A) or less Standby: 14 db(A) or less			
Dimensions and Weight Packaged Unpackaged			
Base Configuration         Width: 24.6 in/625 mm         Width: 18.9 in/479 mm           Depth: 28.4 in/720 mm         Depth: 19.2 in/489 mm           Height: 22.3 in/567 mm         Height: 16.2 in/413 mm           Weight: 85 lbs/38.5 kg         Weight: 71 lb/32 kg			
550-Sheet Tray       Width: 20.7 in/527 mm       Width: 18.2 in/463 mm         Depth: 22 in/558 mm       Depth: 19 in/483 mm         Height: 8.5 in/216 mm       Height: 4.7 in/119 mm         Weight: 19.7 lb/8.9 kg       Weight: 15 lb/6.8 kg			
Printer Stand         Width: 20.7 in/525 mm         Width: 18.2 in/463 mm           Depth: 22.2 in/565 mm         Depth: 20 in/510 mm           Height: 9.2 in/235 mm         Height: 17.3 in/440 mm           Weight: 37.7 lb/17.1 kg         Weight: 32.7 lb/14.8 kg	1		
System Certifications/Regulatory Compliance			
Certifications To view the latest list of certifications, go to xerox.com/OfficeCertifications			

Paper Handling	Paper Handling		
Bypass Tray (Standard)	Bypass Tray (Standard)		
Capacity <sup>5</sup>	100 sheets		
Sizes	<b>Custom Sizes:</b> 3 x 5 in to 8.5 x 14 in/76.2 x 127 mm to 216 x 356 mm		
Weights	16 to 58 lb bond/60 to 218 gsm		
Mediα Types	Bond Card Stock Custom Duplex Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Plain Preprinted Recycled		
Trays 1 (Standard)			
Capacity <sup>5</sup>	550 sheets		
Sizes	<b>Tray 1:</b> Custom Sizes: 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm		
Weights	16 to 58 lb bond/60 to 218 gsm		
Media Types	Bond Card Stock Custom Duplex Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled		

Paper Handling (continued)		
Optional Paper Feeding		
Capacity <sup>5</sup>	550-Sheet Tray: Add up to 4 additional 550-sheet trays	
Sizes	4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm	
Weights	16 to 58 lb bond/60 to 218 gsm	
Media Types	Bond Card Stock Custom Duplex Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled	
Total Capacity		
Device Total Capacity <sup>5</sup>	Base Model: 650 sheets 550-Sheet Tray: Add up to 4 additional 550-sheet trays for a total capacity of 2,850 sheets Paper Output: 300 sheets	

Print		
Resolution (up to)	1200 x 1200 dpi	
Print Features	Application Defaults Banner Sheet Enable/Disable Booklet Layout Cover Selection Fit to New Paper Size Hold All Jobs Image Options (Resolution (Enhanced, High) Job Identification (Print ID or Banner, Print ID in margins on first page only or all pages) Layout/Watermark N-up (up to 16 pages per sheet) Paper Selection by Attribute Print From Cloud Repositories (Dropbox, OneDrive, and Google Drive) Sample Set Saved Job (color jobs can be printed as black-and-white) Secure Print with Timed Deletion Special Pages (exception page programming: covers, inserts, exception pages) Store and Recall Driver Settings Sustainability Features (Xerox® Earth Smart, Duplex, N-up, Turn-off Banner and Print ID, Smart Sample Set, Hold All Jobs) Two-sided Printing (as default) User Permissions	
Print from USB	Allows walk-up printing from Type A USB port on front panel Supports direct printing from computer via Type B USB port Supported file formats: PDF, JPEG, TIFF, PS, PCL Color jobs can be printed as black-and-white	
Operating Systems	Windows Server 2008 SP2 (32- and 64-bit) Windows Server 2012 and R2 (64-bit) Windows Server 2012 and R2 (64-bit) Windows Server 2019 (64-bit) Windows Server 2019 (64-bit) Windows 8 (32- and 64-bit) Windows 8.1 (32- and 64-bit) Windows 10 (32- and 64-bit) Windows 11 (32- and 64-bit) Windows 11, 13- and 64-bit) Mac OS 10.13, 10.14, 10.15 Fedora® Core Ubuntu® Note: For latest supported versions please visit our Drivers & Downloads page and specify your device at support.xerox.com	
Network Protocols	TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD Microsoft Windows Networking over IP Support for Microsoft Universal Print Bonjour® AirPrint® Mopria® IPv6 Most protocols not in use can be disabled	
Font Capability	PCL: 93 scalable fonts, line printer, and bitmap font (including Cyrillic font support) PostScript 3: 173 Type 1 fonts, 2 Multiple Master fonts	
Xerox® Global Print Driver®	A truly universal print driver that lets IT administrators install, upgrade, and manage Xerox® Devices and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management.	
Xerox® Pull Print Driver	Makes it easy for IT managers to qualify, deploy, and manage all print devices using a single driver in a Pull Print environment. Uses a single queue and single driver. The Xerox® Pull Print Driver extends convenience across a broad range of printing assets. IT administrators no longer need to manage and configure multiple drivers. Used in conjunction with Equitrac Office®, Ysoft® SafeQ®, Pharos® and others.	

#### Security

### Features

- Audit Log
- Cisco® Identity Services Engine (ISE) compatible
- Configuration Watchdog (Monitors and remediates 75 security settings in the following areas):
- 802.1x
- Admin Password Reset
- Audit Log
- Automatic Software Upgrade
- Email Alerts
- FIPS 140
- Hold All Jobs
- Immediate Job Overwrite<sup>4</sup>
- Installation Policies
- PII Login Name
- PostScript Passwords
- Remote Services Enablement
- Remote Start (TWAIN)
- Reprint Saved Jobs
- Scheduled Disk Overwrite<sup>4</sup>
- Secure Passcode Length
- Secure Print Device Policies
- SIEM
- SNMP
- System Timeout
- USB (Print from USB)
- USB Port Management
- User Data Encryption
- Expanded Authentication
- $\stackrel{\cdot}{\text{Digitally}}$  signed PDF (when using Smart Card authentication)
- Encrypted/Password Protected PDF (when using Email and Network Scan Templates only)
- FIPS 140 256 bit Hard Disk Encryption<sup>4</sup>, TLS 1.1/1.2/1.3, IPPS, HTTPS, SFTP, SNMPv3
- Immediate Image Overwrite/Securely delete jobs using approved algorithms<sup>4</sup>
- Local Authentication (internal database)
- Network authentication to access device and/or device services via Kerberos (UNIX/Windows Server 2008), SMB (Windows Server 2008,
  - Windows server 2012), NDS, LDAP authentication
- On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk<sup>4</sup>
   Smart Card authentication 144k CAC/PIV Card Support (2048 bit certificate key)/.NET
- Secure Data
- Secure Print (up to 10 digit PIN or Network Authentication)
- Expanded Authorization
- Authorization per user per service
- SA access based on network credentials
- Secure Network Access
- $User \ Permissions \ required \ to \ access \ Print \ and \ Print \ Features \ (e.g., color \ access, or time \ restrictions) \ reflects \ in \ the \ print \ driver$
- Hide Print Job Names
- IP Filter, IPsec, IPv6, TLS V1.0, V1.2, V1.3, SNMP V1/V2/V3, HTTPs, 802.1X, SFTP
- Port disablement including USB ports,
- LogRhythm SIEM integration
- Splunk SIEM integration

Device Management		
Administrative Protocols	DHCP, BOOTP, SNMP, SLP® v2, HTTP, HTTPS, AutoIP (Self Assigned Address)DHCP Autonet, TLS, NTP, DNS, SMB, SMTP/POP3, WSD, LDAP, Multicast DNS, Bonjour	
Management Support	SNMP Version 1. SNMP Version 2c and SNMP Version 3 trap over TCP/IP and IP MIB access (IETF-MIBII RFC 1213) Host Resources MIB RFC 2790, Printer MIB RFC 3805, PWG-Imaging-System-Power MIB, Fleet Orchestrator, Configuration Watchdog	
Xerox® Eαsy Assist App	Xerox Easy Assist App allows you to easily and securely manage your device on the go right from your mobile phone, with real-time monitoring of printer performance and instant access to self-support services – all without the need for any IT support	
Xerox® CentreWare® Web Software	A Web-based server application for network administrators that permits Web browser-based device management from any workstation, whether running on Windows, UNIX, or any other operating system:  • Works with any SNMP-managed printer from any manufacturer  • Remote configuration of SNMP v3  • Provides help with device discovery and installation, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management  • Auto-detect Xerox® CentreWare® Web server and download configurations files for touchless remote install	
Xerox® Device Manager	Xerox® Device Manager collects and manages the data that drives fact-based decisions for your enterprise device management environment. It is a single tool to install print queues and configure, manage, monitor, and report on both networked and locally connected devices – regardless of vendor – across your enterprise. Xerox® Device Manager provides:  • Device monitoring and troubleshooting  • Remote configuration of SNMP v3  • Extensive reporting and discovery of new devices  • Usage collection, chargeback, and billing capabilities  • Auto-detect Xerox® Device Manager server and download configurations files for touchless remote install	
Xerox® Workplace Cloud	Remote management to set and audit device configuration data with Xerox® Workplace Cloud, eliminating the need for an on-site server	
Fleet Orchestrator	Fleet Orchestrator feature offers the ability to create a group of devices that share information with each other via a secure peer-to-peer connection.  The following data can be shared: Software update files, clone files, and 1-Touch App files. Auto-assembly feature allows a new VersaLink® to automatically set itself up on the network to be automatically configured	
Xerox® Device Types for SAP Environment	Xerox, together with SAP through our Gold-level membership in the SAP Printer Vendor Program, provides seamless connectivity between SAP systems and your Xerox® Printers and Multifunction Printers. As an SAP customer, you benefit from having SAP-certified Xerox® Device types available right from SAP's online delivery model. SAP-certified device types for Xerox® Printers and Multifunction Printers are available to download.  office.xerox.com/Software-Solutions	
Xerox® Device Types for SAP R/3 Intelligent Barcode Utility (optional)	Provides built-in process intelligence that allows the printing of barcodes on any appropriately configured PostScript printer in specific versions of SAP environment and within Latin-1 (ISO8859-1) SAP system code pages only. Used in conjunction with Xerox® PostScript Device Types for SAP environment and Xerox® Font Center Barcode Fonts. Information available at office.xerox.com/Software-Solutions	
Xerox® Embedded Web Serve	er – Integrated Device Web Pages Provided by the Device	
Device Status	Web server embedded in Network Controller:  • Tray status/contents  • Consumables status  • Alerts  • Remote Control Panel	
Job Submission	Print-ready files: PS, PCL, TIFF, PDF, JPG, TXT, PRN Output feature selection (2-sided, output color, collate, orientation, output destination) Delivery options (Immediate, sample set, delay, secure, save job for reprint)	
Device Administration	Allows simple, remote installation setting of configuration options and management of the device, Fleet Orchestrator	
Browsers	Brave Browser Chrome Microsoft Edge Mozilla Firefox Opera Safari	
Support	Install print drivers and online support available via support.xerox.com	
Languages Supported	International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Russian, Simplified Chinese, Korean, Japanese, Arabic, Croatian, Ukranian	
Remote Services		
Xerox® Automatic Meter Readings (AMR)	Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® Device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time	
Xerox® Automatic Supplies Replenishment (ASR)	Automatically orders supplies for Xerox® Devices based on actual usage, eliminating the need to manually manage supplies inventory	
Xerox® Workplace Cloud Direct	Embedded device agent technology allows your printer to connect directly with Xerox Workplace Cloud for a zero network footprint offering a 'true' cloud-only Print Management and Mobile solution.	
Accounting		
Xerox® Standard Accounting		
Tracking	Print, Email usage	
Accounting	Up to 2,495 User Accounts (User ID) Up to 500 General Accounts (Client) Up to 498 Group Accounts (Department)	
Features	Administrator can manage the feature via the Web User Interface or device control panel in tools Administrator has the ability to import or export User Accounts, Group Accounts, General Accounts, and User Limits via an industry standard CSV file	

### Accounting (continued)

Accounting Options – Network Accounting (Allows central server to manage all accounting)

Enhanced network accounting with up-to-the-minute data on how the system is being used Comprehensive management and enterprise-scale tracking and reporting of device usage of prin Numerous solutions are available through Xerox Alliance Partners. For details, visit xerox.com

Security enhancements with the addition of HTTPS protocol support

Device requests account authentication from third-party server enabling larger databases of users and accounts Accept Authentication Login at control panel and pass to third-party Networking Account Interface with third-party accounting terminal for accounting user interface

#### **Installation Considerations**

Clear area around the device is necessary for access and ventilation. The table to the right shows the area needed on each side for correct installation

Top: 10 in/254 mm Rear: 4 in/102 mm Left: 6 in/152 mm Right: 20 in/508 mm Front: 20 in/508 mm

#### What's In The Box

All items contained in the box:

VersaLink® C620 Color Printer

AC Power Cord Installation Guide Product Information Flyer Product Safety Sheet Software Update Flyer

Software and Documentation CD

CMY Print Cartridges: 7,000 page capacity K Print Cartridge: 8,000 page capacity<sup>6</sup>

Supplies and Accessories	North America and Europe*	All other regions
Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox C620 Color Printer (8,000 Pages) <sup>6</sup>	006R04616	006R04620
Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox C620 Color Printer (6,000 Pages) <sup>6</sup>	006R04617	006R04621
Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox C620 Color Printer (6,000 Pages) <sup>6</sup>	006R04618	006R04622
Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox C620 Color Printer (6,000 Pages) <sup>6</sup>	006R04619	006R04623
Genuine Xerox Black High Capacity Toner Cartridge, Xerox C620 Color Printer (20,000 Pages) <sup>6</sup>	006R04636	006R04644
Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox C620 Color Printer (12,000 Pages) 6	006R04637	006R04645
Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox C620 Color Printer (12,000 Pages) <sup>6</sup>	006R04638	006R04646
Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox C620 Color Printer (12,000 Pages) 6	006R04639	006R04647
Genuine Xerox Waste Toner Bottle, Xerox C620 Color Printer (170,000 Pages) <sup>7</sup>	008R13334	008R13334
Genuine Xerox Black Imaging Kit, Xerox C620 Color Printer (150,000 Pages) <sup>8</sup>	013R00697	013R00697
Genuine Xerox 3 Color Imaging Kit, Xerox C620 Color Printer (150,000 Pages) <sup>8</sup>	013R00698	013R00698
Optional Accessories		
550-Sheet Trαy	097N02441	
500+GB Hard Disk	097N02443	
Wireless Network Adapter	097N02470	
Xerox Printer Stand	097S05244	

<sup>\*</sup> North America (NA): U.S., Canada


Europe (XE): U.K., France, Germany, Spain, Italy, Netherlands, Belgium, Norway, Sweden, Finland, Denmark, Iceland, Luxembourg, Austria, Switzerland, Portugal, Ireland Andorra, Azores, Corsica, Greenland, Iceland, Lichtenstein, Luxembourg, Madeira, San Marino

- Declared in accordance with ISO/IEC 24734.
- $^{2}\,$  Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.
- Wireless Network Adapter is required for iBeacon.

- Requires 500+GB Hard Disk.
- Paper capacities are based on 20 lb/75 gsm stock; capacities will vary with different weight stocks.
- Average standard pages. Declared in accordance with ISO/IEC 19798. Toner yield can vary due to many factors, including but not limited to, image area coverage, image content, media size, media orientation, run mode, application types, monthly print volumes, and image quality set-points.
- Waste Toner Container yield will vary depending on type of image, area coverage %, and Job run length. Average drum yield is based on a run length of 5 pages of 8.5 x 11 in/A4 LEF pages, with split of 35% color/65% black-and-white pages.

Return spent imaging supplies through the Xerox® Green World Alliance® collection/reuse/recycling program. Visit xerox.com/About-Xerox/Recycling.

For more information, visit us at xerox.com/Office.





<sup>#</sup> Currently undergoing evaluation