


















**FINETT DIMENSION**  
light, lies, fits

Modular elements  
to create your designs

THE COLOURS – FINETT **DIMENSION**

<b>NATURAL DISTANCE</b>					
	F809104	F809103	F809105	F609104	F609103
					
	F109102	F109101	F509104	F509107	F809102
<b>INFINITE DEPTH</b>					
	F609101	F509103	F759102	F509102	F509101
					
	F709102	F709101	F759101	F709103	F809101
<b>COLOURFUL SPACIOUSNESS</b>					
	F709106	F709104	F709105	F609102	F509109
					
	F209101	F209102	F509108	F509106	F509105
<b>INFINITE WIDTH</b>					
	F849104	F909104	F869104	F769104	F879104
					
	F929104	F729104	F889104	F989104	
<b>COOL CLASSICS</b>					
	F809106	F809107	F809108	F809109	F809110

All colours available as tiles (as shown), planks, special shapes and also in rolls.  
PLEASE NOTE: Due to printing techniques the colours may vary from the original shades.  
When in doubt, please ask for master patterns via [www.nadelvlies.de/en/sample/](http://www.nadelvlies.de/en/sample/)



## FUNCTION & ADVANTAGES FINETT DIMENSION



### Easy-Fix installation

FINETT **DIMENSION** is installed with a tackifier so that tiles, planks or rolls are easily removable. Permanent bonding is not necessary. The tackifier remains on the floor when the tiles, planks or rolls are removed, so that they can be disposed of or recycled more easily.



### Sustainable materials

The wear layer of FINETT **DIMENSION** consists of polyamide fibers, which are mainly produced with renewable materials.



### Sustainability

At 1.300 g/sqm, FINETT **DIMENSION** is about 70 % lighter than comparable carpet tiles. In addition, the Easy-Fix installation method requires about 70 % less adhesive when installing rolls.



### Combination of rolls/tiles/planks

Since rolls and tiles have the same colour and material thickness, they can be combined without any problems.



### 100% Polyamide

The modules are made of a robust polyamide material. The solution-dyed fibers of the wear layer are particularly dimensionally stable and non-fading. Thus, the appealing looks will last for a long time.



### Adapted to allergy sufferers

Carpeting reduces the indoor concentration of particular matter by up to 50 % compared with hard floors.



### Easy to exchange

Individual modules or entire surfaces can be easily replaced without damaging the subfloor.



### Renovations

As a replacement does not require the subfloor to be touched up, the installation in a room can be made gradually and that very quickly.



### Stable form without heavy coating

The patented production process ensures that the dimensions of the modules stay absolutely stable even when the (air) humidity is fluctuating.



### Ease of Transport and Installation

The low weight helps to facilitate handling during transport and installation.



### Improved acoustics and in-room air quality

High impact sound reduction and sound absorption ensure far better room acoustics as compared to hard floors. The fine dust concentration is reduced by up to 50 %.



### Excellent quality „Made in Germany“

All FINETT brand products are manufactured in Ettlingen/Germany and have been awarded the Blauer Engel, Green Label Plus and TÜV PROFICERT. Most of the raw materials meet the Cradle to Cradle® criteria for material health.

MODULAR ELEMENTS &  
WINNERS OF **DESIGN AWARDS**



FINETT **DIMENSION** is available in tiles 50 x 50 cm, planks 25 x 100 cm, special formats and also in rolls 200 cm wide.



Fields of Application and Installation Examples:

[www.nadelvlies.de](http://www.nadelvlies.de)

© Photo: Bildhübsche Fotografie, Andreas Koerner

Edition: 3/2021